


eurocell

ROOFING SOLUTIONS



**EXCLUSIVE
TRADE DEALS
AVAILABLE**

Ask in branch
for more details

luma

skypod

equinox

equinox vega

envirotile

POLYTOPS

MidlandLead

easy-trim
Roofing & Construction Products

ROOFING, ROOFLINE & RAINWATER

PRODUCT RANGE

ROOFLINE	4
LIGHTWEIGHT ROOFING	22
DRY VERGE	42
FLASHING	48
FLAT ROOFING	62
TIMBER	84
INSULATION	86
ROOFLIGHTS AND GLAZING	88
CONSERVATORIES	96
EQUINOX ROOF SYSTEM	98
LUMA FLAT ROOFLIGHT	106
SKYPOD LANTERN ROOF	108
ROOF GLAZING	114
CANOPIES AND PANELS	126
RAINWATER	128
UNDERGROUND DRAINAGE	146



OVER 6000
PRODUCTS
IN BRANCH



210+ BRANCHES
NATIONWIDE



PRODUCT EXPERTS
IN EVERY BRANCH



FREE SURVEYS
& QUOTATIONS



CLICK & COLLECT
IN BRANCH



FREE ONSITE
DELIVERY*

*Free onsite delivery on orders over the min. spend - Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland.


ROOFLINE

CONTENTS

Fascia boards	8
Capping boards	11
Finishing trims	14
Soffit boards	16
Ventilators and accessories	18
Fixings	19

HIGH QUALITY FASCIAS, SOFFITS, CLADDING AND ACCESSORIES HELP TO ADD THE ESSENTIAL FINISHING TOUCHES TO ANY ROOFLINE PROJECT


- **Eaves protector**
A high quality, PVC eaves protector that ensures any roof underlay does not drape into the gutter. Eurocell eaves protector prevents water pooling behind fascia's and rotting of roof underlay in guttering thus reducing maintenance at eaves level - page 18.
- **3-in-1 felt support tray**
The 3-in-1 felt support tray incorporates an integral over fascia vent and bird comb to promote air circulation and limit animal and insects entering the roof.
- **Hollow soffit**
Our decorative hollow soffit board features in-built ventilation, helping to maintain airflow throughout your loft space - find out more on page 17.



Eaves protector



3-in-1 ventilation



Hollow soffit

ROOFLINE ANATOMY

A FASCIA

For our range of direct replacement fascia and capping boards, [go to page 8](#)

B DRY VERGE

Neaten up ragged roof edges with our dry verge range [on page 42](#)

C TRIMS

From corner trims to joint trims, find all you need to complete your roofline job [on page 14](#)

D SOFFITS


Choose from our range of plain and ventilated soffit boards [on page 16](#)

For more detailed information on our roofline range, including measurements and fitting instructions, please refer to our specification guide.

Call **08000 77 88 88** to request a copy, or download at eurocell.co.uk



INSTALLATION EXAMPLES



FASCIA BOARD

18mm fascia board installed on a gable box end, finished with corner (DCBCT) and joint trims (DCBJT).



SOFFIT BOARD

300mm vented hollow soffit board (SB300) allows air to flow freely in the roof space. This decorative board is complemented by sculpted 18mm ogee fascia boards (OGE225).



CAPPING BOARD

9mm capping board (CB250) with 9mm utility board (UB300) fitted to a new 6mm plywood substrate*.


*Our capping boards can be fitted over existing fascia boards, providing that they are sound.

SIZE GUIDE

Our roofline products are available in various widths and thicknesses.

When we refer to 18mm fascia board, we are talking about the thickness of the board.

The width of our fascia boards vary. In the example opposite, we show a 150mm width board, but this particular product is available in widths up to 450mm – so you choose a size to best suit your project.



FITTING TIPS

FOILED AND LAMINATED BOARDS

All foiled and laminated boards should be fitted in lengths of 2.5m maximum, to accommodate the expansion requirements – particularly on south facing elevations. Lift protective tape for inspection before installation.

CAPPING BOARD

Capping board should only be affixed to existing timber fascias if they are sound. Where the integrity of existing fascia is compromised, replace with a timber backboard and use timber fillets for additional support.

WHICH SEALANT?


Eurocell recommends Soudal neutral cure silicone sealants for all PVC-U roofline applications, for safe high-performance adhesion to PVC-U, masonry and polycarbonate.

See pages 70-71



FASCIA BOARDS

Double euroboard 18mm



5m lengths

Standard


Ogee

Standard & Ogee double euroboard

Standard		
Code	Size	Pack qty
DEB350	350mm x 5m	1 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WY / WCR1* / WO / WLO1 / WG* / WGY3* / RO / WGY2 / WZ*		
DEB450	450mm x 5m	1 pack
Colour options: 64 / WGY4 / WLO10* / WGY1S / WGY17* / WY / WT1 / WCR / WCR1 / WO / WLO1 / WG* / WY3* / WGY3 / WT2* / RO / WGY2 / WZ		

Ogee		
Code	Size	Pack qty
DOGE400	400mm x 5m	1 pack
Colour options: 64 / WGY1* / WY* / WO* / RO*		

Box end board 18mm



1.25m lengths

Standard

Ogee


450mm Standard & 400/450mm Ogee

Standard		
Code	Size	Pack qty
BEOGE400	400mm x 1.25m	1 pack
BEEB450	450mm x 1.25m	1 pack
Colour options: 64 White		

TRADE ESSENTIALS

Euroboard 18mm

5m lengths



Standard

Ogee

Standard euroboard

Code	Size	Pack qty
EB150	150mm x 5m	2 pack
Colour options: 64 / WGY4 / WGY1S / WGY17 / WGY5* / WY / WT1 / WCR / WCR1 / WO / WLO1 / WG* / WGY3 / WT2* / RO / WGY2 / WZ		
EB175	175mm x 5m	2 pack
Colour options: 64 / WGY4 / WGY1S / WGY17 / WY / WT1 / WCR / WCR1 / WO / WLO1 / WG* / WGY3 / WT2* / RO / WGY2 / WGY2S* / WZ		
EB200	200mm x 5m	2 pack
Colour options: 64 / WGY4 / WGY1S / WGY17 / WY / WT1 / WCR / WCR1 / WO / WLO1 / WG* / WGY3* / RO / WGY2 / WZ		
EB225	225mm x 5m	2 pack
Colour options: 64 / WGY4 / WLO10* / WGY1S / WGY5* / WY / WT1 / WCR / WCR1 / WO / WGY7S* / WLO1 / WG* / WGY3 / RO / WGY2 / WZ / WY3*		
EB250	250mm x 5m	2 pack
Colour options: 64 / WGY4 / WLO10* / WGY1 / WGY1S / WY / WT1 / WCR1 / WO / WLO1 / WG* / WGY3 / RO / WGY2 / WZ		
EB300	300mm x 5m	2 pack
Colour options: WGY1 / WCR1*		

Ogee euroboard

Code	Size	Pack qty
OGE175	175mm x 5m	2 pack
Colour options: 64 / WY* / WCR1		
OGE200	200mm x 5m	2 pack
Colour options: 64 / WY*		
OGE225	225mm x 5m	2 pack
Colour options: 64 / WGY1* / WY* / WO* / WLO1* / RO*		

COLOUR OPTIONS

64 White	WZ White Ash	WCR1 Cream White	WCR Cream	WGY26 Pebble Grey	WGY4 Agate Grey
WT1 Chartwell Green	WGY3 Moondust Grey	WGY7S Hazy Grey Smooth	WGY7 Hazy Grey	WLO10 Anteak	WLO1 Irish Oak
WLO14 Turner Oak	WO Golden Oak	WGY17 Balmoral	WGY5 Basalt Grey	WMO1 Medium Oak	WT2 Moss Green
WG Mahogany	RO Rosewood	WGY2S Slate Grey Smooth	WGY2 Slate Grey	WGY1 Anthracite Grey	WGY1S Anthracite Grey Smooth
WY Black Ash	WY3 Matt Black				

* Made to order

i Made to order colours are marked - see above

FASCIA BOARDS

Bull-nosed fascia board 18mm




5m lengths

Replacement bull-nosed fascia is ideal for new build and refurbishment projects.

Code	Size	Pack qty
HBN150	150mm x 5m	2 pack
HBN175	175mm x 5m	2 pack
HBN200	200mm x 5m	2 pack
HBN225	225mm x 5m	2 pack
HBN250	250mm x 5m	2 pack
Colour options: 64 White		

Flat fascia board 16mm



5m lengths

This 16mm flat fascia board is a simpler alternative to standard fascia board, and is ideal for new build and refurbishment projects.


Code	Size	Pack qty
EFF150	150mm x 5m	2 pack
Colour options: 64 / WLO10* / WGY1 / WY / RO / WLO14		
EFF175	175mm x 5m	2 pack
Colour options: 64 / WLO10* / WGY1 / WY / WGY26* / RO / WLO14		
EFF200	200mm x 5m	2 pack
Colour options: 64 / WLO10* / WGY1 / WGY1S* / WY / RO / WLO14*		
EFF225	225mm x 5m	2 pack
Colour options: 64 / WLO10* / WGY1 / WY / RO / WLO14*		
EFF250	250mm x 5m	2 pack
Colour options: 64 / WGY1* / WY / RO*		
EFF300	300mm x 5m	2 pack
Colour options: 64 / WGY1 / WGY1S* / WY / WGY26* / RO*		
EFF400	400mm x 5m	1 pack (double ended)
Colour options: 64 / WGY1* / WY* / RO*		

Double bull-nosed fascia 18mm

18mm x 400mm board

Code	Size	Pack qty
HBN400	400mm x 5m	1 pack
Colour options: 64 White		

CAPPING BOARDS



ATTRACTIVE CAPPING BOARDS TO REFRESH TIRED TIMBER

Stylish and cost-effective PVC-U boards designed to fit over existing timber fascias

Standard or decorative ogee fascia board for direct fixing to existing sound fascia boards or plywood

Designed for ease of fitting and low maintenance, with no painting required

An attractive and easy to install solution for any replacement roofline project

Capping board 9mm - Standard



5m lengths

Standard capping board

Code	Size	Pack qty
CB150	150mm x 5m	4 pack
Colour options: 64 / WGY4 / WLO10* / WGY1 / WGY1S / WY / WT1 / WCR1 / WO / WGY7* / WLO1 / WG / WY3* / WGY3* / RO / WGY2 / WZ		
CB175	175mm x 5m	4 pack
Colour options: 64 / WGY4 / WLO10* / WGY1 / WGY1S / WY / WT1 / WCR1 / WO / WGY7* / WLO1 / WG / WY3* / WMO1* / WGY3* / RO / WGY2 / WZ		
CB200	200mm x 5m	4 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WY / WT1 / WCR1 / WO / WLO1 / WG / WY3* / WGY3 / RO / WGY2 / WLO14* / WZ		
CB225	225mm x 5m	4 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WGY5* / WY / WT1 / WCR1 / WO / WLO1 / WG / WY3* / WMO1* / WGY3* / RO / WGY2* / WZ		
CB250	250mm x 5m	4 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WY / WT1 / WCR1 / WO / WLO1 / WG / WY3* / WGY3* / RO / WGY2* / WZ		
CB300	300mm x 5m	2 pack
Colour options: 64 / WY		



See page 9 or 13 for colour swatches

* Made to order

† Alternative codes if short codes don't work

GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155



HINTS & TIPS

Always use LMN silicone with roofline products.

Find out more on pages 70-71



CAPPING BOARDS

Capping board 9mm - Ogee




5m lengths

Ogee capping board

Code	Size	Pack qty
EOCB150	150mm x 5m	4 pack
Colour options: 64 / WGY4* / WGY1* / WGY1S* / WO* / WLO1* / WGY3* / RO* / WGY2*		
EOCB175	175mm x 5m	4 pack
Colour options: 64 / WGY4* / WGY1 / WGY1S* / WY / WO* / WLO1* / WG* / WGY3* / RO / WGY2*		
EOCB200	200mm x 5m	4 pack
Colour options: 64 / WGY4* / WGY1 / WGY1S* / WY / WO* / WLO1* / WG* / WGY3* / RO* / WGY2*		
EOCB225	225mm x 5m	4 pack
Colour options: 64 / WGY4* / WGY1 / WGY1S* / WY / WCR1* / WO / WLO1* / WG / WGY3* / RO / WGY2*		
EOCB30064	300mm x 5m	2 pack
Colour options: 64		

Box end boards 9mm



1.25m lengths

450mm standard

Code	Size	Pack qty
BECB450	450mm x 1.25m	1 pack
Colour options: 64 White		

Double capping board 9mm



Standard



Ogee

5m lengths

Standard & Ogee double capping board

Standard		
Code	Size	Pack qty
DCB350	350mm x 5m	2 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WY / WT1* / WCR1 / WO / WLO1 / WG* / WGY3* / RO / WGY2* / WZ		
DCB450	450mm x 5m	2 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WY / WT1* / WCR* / WCR1 / WO / WLO1 / WG* / WY3* / WGY3* / RO / WGY2 / WZ		
Ogee		
Code	Size	Pack qty
EDOCB404	404mm x 5m	2 pack
Colour options: 64 / WGY4* / WY / WO* / WG* / RO*		

i See page 9 or 13 for colour swatches

* Made to order
 † Alternative codes if short codes don't work
 GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

COLOUR OPTIONS

64 White	WZ White Ash	WCR1 Cream White	WCR Cream	MTO WGY26 Pebble Grey	WGY4 Agate Grey
WT1 Chartwell Green	WGY3 Moondust Grey	MTO WGY7S Hazy Grey Smooth	MTO WGY7 Hazy Grey	MTO WLO10 Anteak	WLO1 Irish Oak
WLO14 Turner Oak	WO Golden Oak	WGY17 Balmoral	WGY5 Basalt Grey	MTO WMO1 Medium Oak	MTO WT2 Moss Green
MTO WG Mahogany	RO Rosewood	MTO WGY2S Slate Grey Smooth	WGY2 Slate Grey	WGY1 Anthracite Grey	WGY1S Anthracite Grey Smooth
WY Black Ash	MTO WY3 Matt Black				

* Made to order





i Made to order colours are marked - see above









FINISHING TRIMS



Add the right finishing touches to your roofline project with our range of finishing trims.

FASCIA & CAPPING FINISHING TRIMS

DCBJT Double capping board joint trim	DCBCT Double capping board corner trim	DCBICT90 Double 90° internal corner trim	CBECT135 Universal external 135° corner trim
			
Colour options: 64 / WGY4 / WGY1 / WGY1S / WGY17 / WGY5 / WY / WT1 / WCR / WCR1 / WO / WGY7* / WLO1 / WG / WGY3 / RO / WGY2 / WZ	Colour options: 64 / WGY4 / WLO10* / WGY1 / WGY1S / WGY17 / WGY5 / WY / WT1 / WCR / WCR1 / WO / WLO1 / WG / WGY3 / RO / WGY2 / WZ	Colour options: 64 / WGY4 / WGY1 / WGY1S / WGY17 / WT1 / WCR* / WCR1 / WO / WLO1 / WG / WGY3 / RO / WGY2 / WZ	Colour options: 64 / WGY1* / WGY1S / WY / WCR1* / WO / WLO1* / RO / WZ*
			CBICT135 Universal internal 135° corner trim
			Colour options: 64 / WGY1* / WY* / WCR* / RO*

EDOGJT Double Ogee joint trim	EDOGCT Double Ogee corner trim	EDOGICT90 Double Ogee 90° internal corner trim	HBNJT Double bull nosed joint trim
			
Colour options: 64 / WGY1* / WG / WO / WG / RO	Colour options: 64 / WGY1* / WY / WO / WG* / RO	Colour options: 64 / 64 / WO* / RO*	Colour options: 64 / 64 White
CBEC Capping board end caps	HBNCT Double bull nosed corner trim	HBNICT Double bull nosed internal corner trim	RF1 Roofline finial
			
Colour options: 64 / WGY1 / *WY* / WO* / WGY3* / RO*	Colour options: 64 White	Colour options: 64 White	Colour options: 64 / WGY4* / WGY1 / WGY1S / WY / WCR / WCR1 / WO / WLO1 / WGY3 / RO / WGY2 / WZ

i See page 9 or 13 for colour swatches

* Made to order
 † Alternative codes if short codes don't work
 GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

SOFFIT BOARDS

A COMPLETE RANGE OF SOFFIT BOARDS FOR EVERY APPLICATION

Complete range of soffit boards are easy to fit and are fully compatible with our fascia systems for an exact colour match

Give your roofline an attractive, clean-edged finish, available in a range of colours

Available as standard utility board, vented Eurosoffit boards or lightweight hollow soffit boards




ON WHITE PRODUCTS

9mm utility board provides a simple, clean look and can be enhanced with separate vents and accessories to maintain airflow through your loft space

Standard

Code	Size	Pack qty
UB100	100mm x 5m	4 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WY / WT1 / WCR1 / WO / WLO1 / WG* / WMO1 / WGY3* / RO / WGY2 / WGY2S* / WZ		
UB125	125mm x 5m	4 pack
Colour options: WY3*		
UB150	150mm x 5m	4 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WGY17* / WY / WT1 / WCR / WCR1 / WO / WLO1 / WG* / WGY3 / WGY26* / RO / WGY2 / WZ		
UB175	175mm x 5m	4 pack
Colour options: 64 / WGY5* / WLO14*		
UB200	200mm x 5m	4 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WGY17 / WY / WT1 / WCR1 / WO / WGY7* / WLO1 / WG* / WGY3 / WGY26* / RO / WZ		
UB225	225mm x 5m	4 pack
Colour options: WO		
UB250	250mm x 5m	2 pack
Colour options: 6		
UB300	300mm x 5m	2 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WGY17 / WGY5* / WY / WT1 / WCR / WCR1 / WO / WLO1 / WG* / WGY3 / RO / WGY2 / WZ		
UB350	350mm x 5m	2 pack
Colour options: 6		
UB400	400mm x 5m	2 pack
Colour options: 64 / WGY4 / WGY1 / WGY1S / WY / WT1 / WCR* / WCR1 / WO / WGY7S* / WLO1 / WG* / WGY3 / RO / WGY2 / WZ		
UB450	450mm x 5m	2 pack
Colour options: 64 / WGY1S*		
EUB605	605mm x 5m	1 pack
Colour options: 64 / WGY1* / WY*		

Utility boards 9mm




i See page 9 or 13 for colour swatches

* Made to order
† Alternative codes if short codes don't work
GY1 = GRW7016, GY1 = GRW7015, GY3 = GRW7155

TRADE ESSENTIALS



Hollow soffit board 9mm



A decorative and lightweight alternative to traditional flat soffit boards

Standard

Code	Size	Pack qty
SB100	100mm x 5m	10 pack

Colour options:

64 / WGY1 / WGY1S* / WO / WG* / WT2* / RO

SB300	300mm x 5m	5 pack
-------	------------	--------

Colour options:


64 / WGY4 / WLO10* / WGY1 / WGY1S / WGY17 / WGY5* / WY / WT1 / WCR / WRC1 / WO / WLO1 / WG / WMO1* / WGY3 / WT2 / RO / WGY2 / WLO14* / WZ

Vented

Code	Size	Pack qty
VB100	100mm x 5m	10 pack
VB300	300mm x 5m	5 pack

Colour options: 64 White

Recycled Soffit Board




EUROSOFFIT BOARDS

9MM

10 & 25mm airspace slots

10mm airspace		
Code	Size	Pack qty
ES150	150mm x 5m	2 pack
Colour options: 64 / WY / WT1* / WO / WLO1* / WZ*		
ES200	200mm x 5m	2 pack
Colour options: WGY1 / WGY1S / WY / WT1* / WCR1* / WO / WLO1* / WGY3* / WGY26* / RO / WGY2* / 64 / WZ*		
ES225	225mm x 5m	2 pack
WO* / 64		
ES250	250mm x 5m	2 pack
Colour options: 64 White		
ES300	300mm x 5m	2 pack
Colour options: WGY4 / WGY1 / WGY1S / WY / WT1* / WCR1* / WO / WLO1* / WGY3* / RO / WGY2 / 64 / WZ*		
ES400	400mm x 5m	2 pack
EES450	450mm x 5m	1 pack
EES605	605mm x 5m	1 pack
Colour options: 64 White		
25mm airspace		
Code	Size	Pack qty
DES150	150mm x 5m	2 pack
DES225	225mm x 5m	2 pack
DES300	300mm x 5m	2 pack
DES450	450mm x 5m	2 pack
Colour options: 64 White		



A COMPLETE RANGE OF EUROSOFFIT BOARDS FOR EVERY APPLICATION

VENTILATORS & ACCESSORIES



DISC VENTILATOR CSVE

Configure your roofline for optimum performance with our range of ventilators and accessories

BC25 25mm board clip
25mm

10 x5m

Colour options:
64 White / CR Cream / WLO1 Irish Oak / GY1 Anthracite Grey / GY1S Anthracite Grey Smooth / WZ White Ash / ROF Rosewood / WYF Black / OF Golden Oak / WTI Chartwell Green / GY4 Agate Grey / GY17 Balmoral / GY2 Slate Grey / GY2S Slate Grey Smooth

SV10 10mm soffit ventilator
10mm

10 x5m

Colour options:
64 White / BK Black / O Oak / BN Brown

CSVET 70mm disc ventilator
70mm

50 pack

Colour options:
W White / BK Black / BR Brown / GY Grey / O Oak

FET40 40mm felt edge trim
40mm

10 x5m

Colour options:
64 White

GEP Eaves protector
1.5mm

1.5m long

10mm over-fascia ventilator

1m long

Code	Size	Qty
OFV10	10mm	60
OFV25	25mm	50

OFVS10 3 in 1 Eaves Protector, with over-fascia vent and comb
10mm

3-IN-1

1m long

CF1000 Eaves comb filler
1m

50 x1m

PT3064 30mm panel trim
30mm

5 x5m

Colour options:
64 White

PJ40 40mm panel joint
40mm

10 x5m

Colour options:
64 White / ROF Rosewood / WY Black Ash / OF Golden Oak / CR Cream / WLO1 Irish Oak / GY1 Anthracite Grey / GY1S Anthracite Grey Smooth / WZ White Ash / WTI Chartwell Green / GY2 Slate Grey / GY2S Slate Grey Smooth / GY4 Agate Grey / GY17 Balmoral

FIXINGS

Fixing pins

250 pack

30mm & 40mm fixing pins

Code	Size
FP30	30mm
FP40	40mm

Colour options:
WH White / BL Black / BR Brown / BE Beige / O Oak / RW Rosewood / GY Grey / WLO1 Irish Oak / CR Cream / T1 Chartwell Green* / SGY3 Slate Grey* / GYY Anthracite Grey / BG Balmoral* (* Made to order)

Fixing nails

100 pack

50mm & 65mm fixing nails

Code	Size
FN50	50mm
FN65	65mm

Colour options:
WH White / BL Black / BR Brown / O Oak / RW Rosewood / GY Grey / WLO1 Irish Oak / CR Cream / T1 Chartwell Green* / SGY3 Slate Grey* / GYY Anthracite Grey / BG Balmoral* (* Made to order)

Cladding pins

250 pack

Cladding pins

Code	Size
CP 25	25mm
CP 30	30mm

Colour options:
WH White / BL Black / BR Brown / O Oak / RW Rosewood / GY Grey / WLO1 Irish Oak / CR Cream / T1 Chartwell Green* / SGY3 Slate Grey* / GYY Anthracite Grey / BG Balmoral* (* Made to order)

ADHESIVES & ACTIVATORS

SG50THICK
Superglue 50gm

- Easy to apply
- High viscosity

ACT200
Activator 200ml

- Instant cure and bonding in seconds

SGKIT
Superglue & activator kit 50gm/200ml

- Instant cure and bonding in seconds

PARTNER OF CHOICE

easy-trim Ridge F DRY FIX RIDGE KITS



MADE IN BRITAIN


- Available in various sizes - 3m, 6m and 10m
- Available in black, grey and terracotta to match most tile types
- BS 5534, BS 8612 and BS 5250 compliant
- Mechanically fixed, eliminating the requirement of mortar
- Simple installation, requires no special tools
- Resistant to wind and water

easy-trim Verge U DRY FIX VERGE SYSTEMS



MADE IN BRITAIN

- Manufactured in-house from polypropylene for superior flexibility and ease of installation
- Available in black, grey, brown and terracotta
- BS 5534 and BS 8612 compliant
- Mechanically fixed eliminating the requirement of mortar
- Excellent UV and colour stability, no fading or unsightly staining on soffits
- Tight secure fit, not vulnerable to wind-dislodgement
- Installation suitable in all weather conditions



MADE IN BRITAIN DRY FIX HIP KITS

MADE IN BRITAIN

- Easy to install - no special tools required
- Water resistant, additional barrier against water ingress
- Durable
- UV stable



INDEPENDENTLY TESTED TO BS 8612

bre

OVER FASCIA VENTS

MADE IN BRITAIN

- Each 500mm piece has a male and female end which interlock to create a 1m length
- Robust structure will not crush or warp
- Smooth leading edge for discreet fitting
- 10mm available for cold roof construction
- 25mm for warm roofs, flat roofs and pitches of 15° and below

BIRD COMB FILLER

MADE IN BRITAIN

- Flexible and Durable
- Easy to Install
- Suitable for use with all profiled tiles
- Suitable for pitches between 15° - 50°

3 IN 1 EAVES TRAY

3-in-1 eaves trays incorporates an over fascia vent for adequate air ventilation, and a bird comb strip to combat bird and insect infestation.




2 IN 1 EAVES TRAY

High-quality, 1 metre eaves support trays with an integrated 10mm over fascia vent.

MADE IN BRITAIN

- Reduces maintenance at eaves level by protecting the felt
- Protects felt from any UV degradation
- Easily cut and quick to fit
- Durable, no cracking or decay
- Can be used to replace worn or perished roofing felts
- No pitch limitations

BREATHER MEMBRANES



INDEPENDENTLY TESTED TO BS 5534

bre

- Suitable for warm and cold roofing construction
- 3 layer thermally bonded construction vapour permeable range
- BBA certified for warm and cold roof applications BBA 10/4753
- Conforms to BS 5534:2014 Annex A
- All our range is printed with a grid for simple cutting
- UV stable for 3 months
- High breathability and vapour permeable


CIRCULAR SOFFIT VENTS

MADE IN BRITAIN



- Made from polypropylene and available in five different colour options - black, brown, grey, tan & white
- Simple push-fit design for easy installation
- Grille design prevents ingress of large insects
- Can be retrofitted
- Durable & resistant to decay
- Satisfies all NHBC requirements
- Manufactured to BS EN ISO 9001 : 2014
- Meets all relevant British Standards

LEAD ALTERNATIVES LEAD R



BBA APPROVAL

- Universal rafter centre fitting capabilities
- Available in 4 widths - 300mm, 400mm, 600mm and 800mm
- Suitable for roof pitches of 15° or greater - select the size of roll to ensure it will fully restrain the thickness of insulation on the roof
- Flexible, quick and easy to install
- Suitable for new builds and refurbishment projects on roof pitches over 12.5°
- Highly durable light weight rolls
- Suitable for rafter spacing between 300 - 600mm centres
- Provides ventilation in accordance with the requirements of NHBC, BS 5250 and Building Regulations Document C2
- Provides the insulation from obstructing ventilation and provide 25mm per metre clear air gap
- Designed to fit common rafter centres of 400mm, 450mm and 600mm

- Lighter to handle and easier to install than traditional lead
- Cost effective
- Non-toxic
- No scrap value which eliminates the risk of theft
- Aesthetically maintains the 'classic' look of traditional lead
- Extremely malleable and easy to shape and form

AVAILABLE IN 4 WIDTHS WITH A SMOOTH OR TEXTURED FINISH

CONTINUOUS RAFTER TRAY

MADE IN BRITAIN

The Choice is Easy... Choose Easy-Trim

Easy-Trim are all about quality, and never compromise on standards.

High performance products, excellent customer service, and attention to detail is what sets Easy-Trim apart.

- Consistently high-quality products, fully compliant to all relevant British Standards.
- Independent test reports... they matter more than you might think.
- British made - made to last!

Don't compromise on your materials, your reputation is everything.

Make life easy. Choose Easy-Trim, the brand you know and trust.

Easy-Trim Roofing & Construction Products Limited

Unit 12B, Metcalf Drive,
Altham Industrial Estate,
Altham, Lancashire,
England, BB5 5TU



Tel: 01282 930680
Email: sales@easy-trim.co.uk
Web: www.easy-trim.co.uk

easy-trim
Roofing & Construction Products

LIGHTWEIGHT ROOFING

CONTENTS

Envirotile	24
Tapco	30
Slateskin	34
Metrotile	36
Corrugated Roof - Onduline	40
Dry verge	42
Roofing Membrane	46
Dry valley	48

EUROCELL'S COMPREHENSIVE RANGE OF ROOF TILES ARE LIGHTWEIGHT AND EASY TO INSTALL. WITH 3 LEADING OPTIONS OF ENVIROTILE, TAPCO AND METROTILE, WE'VE GOT IT COVERED.

Adding to the growing range of lightweight roofing products, and new to the range, Eurocell has added Onduline corrugated roofing sheets.

- **Envirotile** is a revolutionary roof tile system developed by a roofer for roofers, and has a unique fixing system which is fully compliant with BS 5534. It's leading design means it requires just 12 tiles per m², and can be installed to a minimum of 12.5° pitch. A flat, precision manufactured, recycled polymer, lightweight roof tile with excellent green credentials.
- **Tapco** slate is a stylish range of traditional format roof tiles made from 100% virgin resins and limestone. A stylish addition to conservatory or other light weight roofing jobs, Tapco is extremely hard wearing, easy to fit and can be installed to a minimum of 14° pitch.
- **Metrotile** the lightweight steel roofing systems, pressed from the highest quality steel and providing a durable solution to all of your roofing needs. From small conservatories to large-scale new build projects.
- **Slateskin** The leading GRP sheet roof tile system from our Equinox conservatory roof system, which gives a traditional slate-effect in half the time is now available as a stand-alone product suitable for a range of domestic applications.
- **Onduline** The original bituminous roof sheet for renovating the roofs of a versatile mix of applications from garden sheds, pergolas, summer houses and workshops.



ONDULINE CORRUGATED ROOF SHEET



SAVE TIME,
SAVE MONEY

with **envirotile**®

COST SAVING, SUSTAINABLE ROOF TILE



UNIQUE DESIGN
fully storm tested



REQUIRES LESS TILES
PER SQUARE METRE*

FEATURES & BENEFITS



Faster to fit and more secure with unique fitting system



Lightweight and easy to install



Made from 75% recycled materials



Anti fungal properties



Can be installed to a minimum 12.5° pitch



Weather tested to 147mph



40-year guarantee for peace of mind





AVAILABLE IN 2 FINISHES,
4 COLOURS & 3 SIZES

SLATE-EFFECT FINISH



STANDARD FINISH



FULL RANGE OF COMPONENTS IN A RANGE OF COLOURS AND FINISHES



RIDGE CAP



GABLE END CAP



HIP CAP



HIP END CAP



RIDGE TO APEX

* Compared to other lightweight roof tiles

ENVIRO TILE SLATE

Why choose Envirotile?

The lightest, biggest roof tiles on the market with a unique interlocking system that makes any job quick and easy to fix.

Unbreakable, dry cut tiles made from 75% recycled materials save hassle and environmental impact.

Performing on pitches as low as 12.5 degrees and good for all structures that can't handle a lot of weight, Envirotile is perfect whatever the job.

So whether the problem roof is a main frame or a lightweight conservatory, Envirotile is the answer.

Envirotile slate



Code	Size
ENVLSL	Single – Size: L:365mm x W:325mm x D:11mm
ENVSLD	Double – Size: L:365mm x W:630mm x D:11mm
ENVSLH	Half – Size: L:365mm x W:175mm x D:11mm

Ridge cap



Code	Size
ENVSLRC	L:425mm x W:245mm x H:105mm

Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

Hip cap




Code	Size
ENVSLHC	L:425mm x W:165mm x H:70mm

Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

ENVSLHEC

Hip end cap
 L:180mm x W:245mm x H:90mm



Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

ENVSLRAC

Ridge to apex
 L:252mm x W:292mm x H:145mm



Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

ENVSLGEP

Gable end cap
 L:28mm x W:325mm x H:178mm



Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Grey

ENVIRO TILE STANDARD

Envirotile standard



Code	Size
ENVSTS	Single – L:365mm x W:325mm x D:11mm
ENVSTD	Double – L:365mm x W:630mm x D:11mm

Colour options: AG Anthracite Black / GY Grey / BR Brown / TR Terracotta

Ridge cap



Code	Size
ENVSTRC	L:475mm x W:300mm x H:170mm

Colour options:
AG Anthracite Black / GY Grey / BR Brown / TR Terracotta

Hip cap




Code	Size
ENVSTHC	L:425mm x W:150mm x H:70mm

Colour options:
AG Anthracite Black / GY Grey / BR Brown / TR Terracotta

ENVSTHEC

Hip end cap
 L:180mm x W:150mm x H:70mm



Colour options:
AG Anthracite Black / GY Grey / BR Brown / TR Terracotta

ENVSTRTA

Ridge to apex
 L:280mm x W:300mm x H:170mm



Colour options:
AG Anthracite Black / GY Grey / BR Brown / TR Terracotta


ENVSTGEC

Gable end cap
 L:30mm x W:300mm x H:170mm




Colour options:
AG Anthracite Black / GY Grey / BR Brown / TR Terracotta

COLOUR OPTIONS - SLATE




COLOUR OPTIONS - STANDARD



COMPOSITE ROOF TILES - ENVIROTILE


ENVIROTILE STANDARD/SLATE

Standard lowline vent



Code	Size
ENVSTLVT	L:365mm x W:325mm x D:11mm + Profile
Colour options: AG Anthracite Black / GY Grey / BR Brown / TR Terracotta	

Standard cowl vent



Code	Size
ENVSTCVT	L:365mm x W:325mm x D:11mm + Profile
Colour options: AG Anthracite Black / GY Grey / BR Brown / TR Terracotta	

Ventilated eaves bar/starter rail



Code	Size
ENVEB	L:600mm x W:48mm x H:12mm

ENV3MDV 3m dry verge



Colour options:
AG Anthracite Black / BR Brown / TR Terracotta

ENVDVB Dry verge bracket



Colour options:
AG Anthracite Black / BR Brown / TR Terracotta

Screw cover cap



Code	Pack qty	Size
ENVSCCL	25	Large
ENVSCCS	25	Small
Colour options: AG Anthracite Black / GY Grey / BR Brown		

ENVIROTILE


Save money and time with this revolutionary, lightweight, interlocking roof tile system

PERFECT PARTNER



See page 53 for more details

ENVABT50A Mechanical dry fix - abutment wall soaker



ENNVALLEY Valley with water drainage channels



ENVMALINS Male to male ridge insert for double hip roofs




Colour options:
SG Slate Grey / BR Brown / TR Terracotta / BK Anthracite Black


ENVSIPA110 Square to round pipe adaptor



ENVMXCL Flexitube and clips



PERFECT PARTNER



See page 90 for more details

Envirolay



Code	Size
ENVIROLAY	D x 130mm x L:25000mm
EnvirolayFR® must be used on all domestic dwellings, (standard roofing membrane can be used on a conservatory roof).	

ENVTAPE Duo plus tape




Fixings - SS pozi pan self tapping screw

Code	Size	Qty
ENVSCREW90	90 x 6.3mm	50 pack
ENVSCREW32	32 x 4.2mm	50 pack

envirotile®

COMPOSITE ROOF TILES - TAPCO



TAPCOSLATE
Classic

**SLATE...
BUT NOT AS YOU
KNOW IT!**

RECYCLABLE

TapcoSlate Classic Coachman Mix Pictured

FEATURES & BENEFITS

- 40 YEAR WARRANTY**
- Lightweight: as low as 12kg/M²**
- Easily Cut & Shaped**
- Highly Impact Resistant**
- Low 12° Pitch**
- Simple to Install**

Whether you have a conservatory, modern house or a listed building, TapcoSlate Classic adds splendour, elegance and tradition to your home.

It is authentically shaped with textured surfaces and riven edges moulded from authentic slates that makes TapcoSlate Classic almost indistinguishable from natural slate – yet it has an even more refined appearance. TapcoSlate Classic will not crack, break or delaminate, and its product formulation and manufacturing processes provide durability, performance, and longevity for many years to come.

TapcoSlate Classic is tested above and beyond UK and European standards and has the certification and results from the best testing houses in UK and European construction, for your peace of mind:



By providing a lightweight and easily-installed product, installation costs are lower, with less site waste!




Tapco slate roof tiles



Code	Pack qty	Size
SLATE	25	445 x 292mm

Colour Options:
BR Brick Red / BS Stone Black / CN Chestnut / GY Pewter Grey / OG Olive Green / PM Plum / RR Red Rock / COACH790 Coachman Mix

Tapco slate ridge/hip caps



Code	Pack qty	Size
RIDGE	1	440 x 160mm

Colour options:
790 Coachman Mix / BR Brick Red / BS Stone Black / CN Chestnut / OG Olive Green / PM Plum / PW Pewter / PWC Pewter Grey / RR Red Rock


End cap



Code	Pack qty
RIDGEEND**25-29DEG	1
RIDGEEND**30-34DEG	
RIDGEEND**35-40DEG	

Colour options:
(*PG) Pewter Grey / (*SB) Black / (*CB) Chestnut Brown / (*PL) Plum (*RR) Red Rock / (*BR) Brick Red / (*OG) Olive Green


End cap



Code	Pack qty
EDHIPCAP**	1
VICHIPCAP**	

Colour options:
(*PG) Pewter Grey / (*SB) Black / (*CB) Chestnut Brown / (*PL) Plum (*RR) Red Rock / (*BR) Brick Red / (*OG) Olive Green

Angle ridge to hip junction



Code	Pack qty
RIDGEHIP**14-17DEG	1
RIDGEHIP**18-23DEG	
RIDGEHIP**24-30DEG	

Colour options:
(*PG) Pewter Grey / (*SB) Black / (*CB) Chestnut Brown / (*PL) Plum (*RR) Red Rock / (*BR) Brick Red / (*OG) Olive Green

COMPOSITE ROOF TILES - TAPCO



Soaker cowl vent 10k airflow (15 to 90 degrees)

Code	Pack qty
G3801COVENTBLK	1
G3804COVENTPWT	1
G3712COVENTCHE	1
G3809VENTRR	1
G3706VENTPL	1
G3709VENTBR	1



Inline vent 10k airflow (20 to 90 degrees)

Code	Pack qty
GV11712INVENTCHE	1
GV11801INVENTBLK	1
GV11804INVENTPWT	1
INVENTGV11406PL	1
INVENTGV11809RR	1
INVENTGV709BR	1



Soaker cowl vent pipe adaptor

Code	Pack qty
GV110	1



Inline vent pipe adaptor

Code	Pack qty
GV110000PIPE	1

SEAC Multipurpose Screws

Code	Size	Pack qty
MP5030	5.0 x 30mm	200
MP5050	5.0 x 50mm	200
MP5080	5.0 x 80mm	200



Dry verge jointing clips

Code	Pack qty
CO2PJBL	1



Abutment ventilator (1m length - min. pitch 15 degrees)

Code	Pack qty
OB56TABV	1




Slate verge 2m

Code	Pack qty
VERGEBS	1


TAPCO SELECT SHAKE

Tapco's DaVinci Select Shake roofing provides the craftsmanship and authenticity of natural, hand-split cedar shake tiles but without the ongoing maintenance and upkeep of wood, dramatically increasing durability throughout a longer lifespan and resistance to fire and impact.



RidgeMaster plus 11" ridge ventilation system

Code	Pack qty
7110002	10



HipMaster 11" hip ventilation system

Code	Pack qty
7111002	10

Select Shake

Code	Description	Pack qty	Colour
SSHAKEAG	Shingle	22	Aged Cedar
SSHAKEAGST	Starter Tile	1	Aged Cedar
SSHAKEAGRT	Ridge Tile	1	Aged Cedar
SSHAKEBO	Shingle	22	Black Oak
SSHAKEBOST	Starter Tile	1	Black Oak
SSHAKEBORT	Ridge Tile	1	Black Oak
SSHAKEA	Shingle	22	Autumn
SSHAKEAST	Starter Tile	1	Autumn
SSHAKEART	Ridge Tile	1	Autumn



Aged Cedar

Black Oak


Autumn

GRP SHEET ROOF TILES



The leading **GRP sheet roof tile system** from our Equinox conservatory roof system, which gives a traditional slate-effect in half the time is now available as a stand-alone product suitable for a range of domestic applications.

AUTHENTIC SLATE LOOKS



Tile sheet	
Code	Pack qty
ERS 1340GY2-2M	2m
ERS 1340GY2-4M	4m
ERS 1340GY2-6M	6m



Ridge gable end cap

Code
ERS 1338GY2-FG



Victorian hip end cap

Code
ERS 1329GY2-FG




Edwardian hip end cap

Code
ERS 1325GY2-FG



Ridge/hip length cap (6m)

Code
ERS 1321GY2-FG



Victorian 5-way ridge top cap

Code
ERS 1326GY2
Also available in: 15° (ERS 1334GY2) / 20° (ERS 1335GY2) 30° (ERS 1336GY2) / 35° (ERS 1337GY2)



Edwardian 3-way ridge top cap

Code	Size
ERS 1322GY2	25°
Also available in: 15° (ERS 1330GY2) / 20° (ERS 1331GY2) 30° (ERS 1332GY2) / 35° (ERS 1333GY2)	

slateskin®

A GREAT LOOKING SLATE-EFFECT ROOF IN 50% LESS TIME

WHY CHOOSE SLATESKIN?

Slateskin - a sheet tiling system that allows you to fit a realistic slate-effect, water-resistant system to Equinox roofs in around 50% less time compared to authentic conservatory tiling methods.



Up to 50% faster to install than traditional tiling methods



Saves you time and money!



Easy-fit sheet system



Only tile system tested to achieve 5° pitch



Tough and hard-wearing



Precision-engineered for enhanced performance




25-year guarantee for peace of mind

equinox®

envirotile®

the perfect combination.



envirotile®

Envirotile now works perfectly with our Equinox solid tile warm roof solution making it not just quicker but easier to fit.



Less tiles required per sqm for a quicker install



Lightweight & easy to install



Interlocking fitting system

equinox®



Easy and quick installation in 2 days*
* Water tight on day one



U-values as low as 0.15



LABC/LABSS certified



GET A SOLID ROOF QUOTE IN UNDER AN HOUR



AND DELIVERED TO YOU IN JUST 7 DAYS

STEEL ROOF TILES - METROTILE



THE LIGHTWEIGHT STEEL ROOF TILE

- Can be installed to a minimum 15° pitch
- Unique 'hidden fix' system - no nails exposed
- Lightweight, light and easy to handle and install
- Durable, colour stability and protects against UV light
- Stable, resistance to extreme weather
- Strong, exceptional strength and resistant to damage
- Fire proof, Conforms with the European standards

COLOUR CODES:


AR / Antique Red BU / Burnt Umber CA / Charcoal EB / Ebony MG / Moss Green

Metrotile delta ridge



Code	Colour	Pack qty
ERS1302	AR/BU/CA/EB/MG	1

Metrotile 2pc non-handed barge



Code	Colour	Pack qty
ERS1307	AR/BU/CA/EB/MG	1

metrotile LIGHTWEIGHT ROOFING

Metrotile is the leading supplier of lightweight roofing systems, pressed from the highest quality steel and providing a durable solution to all of your roofing needs. From small conservatories to large-scale new build projects, Metrotile has you covered.

- Lightweight roofing is easy to manoeuvre
- Improved insulation to the residential or commercial premises
- Rigorously tested to withstand harsh weather conditions and vandalism
- Highest possible external fire resistance rating
- 40 Year weatherproof guarantee
- Stunning aesthetics
- Expert technical support on hand

STEEL ROOF TILES COLOURS AVAILABILITY



**SPECIAL ORDER
DELIVERED IN 5 DAYS**

Metrotile shingle



Code	Size	Description
ERS1301	1335x300mm	METROTILE SHINGLE

Colour options:
CA Charcoal / AR Antique Red / BU Burnt Umber / MG Moss Green / EB Ebony

Metrotile 135 hip end cap



Code	Colour	Pack qty
ERS1310	AR/BU/CA/EB/MG	1

Metrotile 90 deg hip end cap



Code	Colour	Pack qty
ERS1306	AR/BU/CA/EB/MG	1

Metrotile ridge end cap



Code	Colour	Pack qty
ERS1305	AR/BU/CA/EB/MG	1

Metrotile 5-way junction



Code	Colour	Pack qty
ERS1304	AR/BU/CA/EB/MG	1

Metrotile y-junction



Code	Colour	Pack qty
ERS1303	AR/BU/CA/EB/MG	1

STEEL ROOF TILES - METROTILE

COLOUR CODES:

AR / Antique Red BU / Burnt Umber CA / Charcoal EB / Ebony MG / Moss Green

Metrotile angle ridge veranda



Code	Colour	Pack qty
ARV	AR/BU/CA/EB	1

Metrotile end cap ridge veranda



Code	Colour	Pack qty
ECR	AR/BU/CA/EB	1

Metrotile end cap hip veranda



Code	Colour	Pack qty
ECHARV	AR/BU/CA/EB	1

Metrotile end cap hip 135 veranda



Code	Colour	Pack qty
ECH135	AR/BU/CA/EB	1



Metrotile 5 way adaptor veranda

Code	Colour	Pack qty
Y5ARV	Antique Red	1
Y5BUV	Burnt Umber	1
Y5CV	Charcoal	1
Y5EV	Ebony	1



Metrotile y-junction veranda 25 deg

Code	Colour	Pack qty
YAR25V	Antique Red	1
YBUV25	Burnt Umber	1
YC25V	Charcoal	1
YE25V	Ebony	1



Metrotile touch up kit

Code	Colour	Pack qty
ERS1308	AR/BU/CA EB/MG	1




Metrotile woodshake

Code	Colour	Pack qty
ERS1311	Antique Red/ Bronze/Charcoal	1



Hip / Ridge Vent Strip (600mm)

Code	Qty
METROHIPVENT	1



Metrotile valley lining 2.2m x 200mm

Code	Pack qty
ERS1309	1

metrotile
LIGHTWEIGHT ROOFING



The World's Leading Producer of Lightweight Steel Roofing Systems




A **metrotile** roof weighs just one-seventh of so called 'traditional' roof materials such as slate or clay, yet offers superior benefits. The low weight ensures a rapid installation and a significant reduction in strain on the supporting structure and foundations. The use of the highest quality steel ensures unmatched security, while the stone and acrylic glaze coating gives your rooftop a stunning finish - all backed by a **forty year weatherproof guarantee**.

www.metrotile.co.uk



metrotile shingle



CORRUGATED ROOF SHEET - ONDULINE

7 DAYS

SPECIAL ORDER DELIVERED IN 7 DAYS

GUARANTEED 15 YEARS

Conditions apply.

MARKET LEADING LIGHTWEIGHT ECO-FRIENDLY ROOFING SHEETS

The original bituminous roof sheet for renovating the roofs of a versatile mix of applications from garden sheds, pergolas, summer houses and workshops.

- Lightweight
- Eco-Friendly
- Available in a choice of colours
- Easy to install

Extremely tough bituminous corrugated roof sheets. Made from 50%-60% recycled materials and suitable for renovations and new build DIY, agricultural and commercial roofing projects.

- BBA certified
- Guaranteed waterproofing: 15 years
- Virtually maintenance free
- Eco-friendly: Very low carbon footprint
- Fast and easy to install: no specialist tooling required
- Proven to withstand strong winds
- Noise reducing material

Onduline®
Lightweight roofing systems

Onduline classic and clear sheeting
2000 x 950 x 3mm

Code	Size	Corrugations	Colours available	Corrugation height	Weight per m ²	Weight per sheet
ONDLINE	L:2000mm x W:950mm x D:3mm	10	BK Black / GN Green / GY Grey / RD Red / BR Brown	38mm	3.4kg/m ²	6.4kg/m ²
BITCLEAR	L:2000mm x W:950mm x D:1.2mm	10	Translucent/Transparent	38mm	1.89kg/m ²	3.6kg/m ²

CORRUGATED ROOF SHEET COLOURS AVAILABILITY

BLACK **RED**

GREY **GREEN**

BROWN

Gable Slim Verge Angles



Code	Pack qty	Size
ONDSLVRG	1	1000 x 130mm
Colour options: BK Black / GN Green / GY Grey		

Ridge capping



Code	Pack qty	Size
ONDRDG	1	1000 x 420mm
Colour options: BK Black / GN Green / BR Brown / GY Grey		

Fixing nails



100 pack **400 pack**

Code	Size
BN100	18mm head x 65mm
Colour options: BK Black / GN Green / GY Grey / RD Red / BR Brown	
BN400	18mm head x 65mm
Colour options: BK Black / GN Green / RD Red / BR Brown	

Fixing screws



100 pack

Code	Size
USS	65mm length
Colour options: BK Black / GN Green / GY Grey	



DRY VERGE

Our Verge U is truly universal in that the units can be used on the left and right side of the verge, and they are fully compatible with most tile types. The unique design combines fast, simple installation with exceptional holding qualities. A tight secure fit is easily achieved ensuring roof tiles are held firmly in place and not vulnerable to wind dislodgement.

- Neatens roof edges
- An attractive weather and pest-proof finishing touch to any roof
- Can be retro-fitted to existing buildings to tidy roof edges
- The simple, secure clip fixing system makes it easy to install and avoids the problem of wind uplift
- Meets the mechanical fixing requirements of BS 5534
- None-handed units – can be used on both the left and right verge
- Unique design to create a completely sealed verge preventing water ingress and insect/bat infestation
- Manufactured from Polypropylene for excellent flexibility and UV stability.



DRY VERGE

Easyverge U universal verge system



Code	Colours
UNIVERGEBLK	Black
UNIVERGEBRN	Brown
UNIVERGEGRY	Grey
UNIVERGETER	Terracotta

Easyverge angled ridge cap C/W flapcap



Code	Colours
ARIDGECAPBLK	Black
ARIDGECAPBRN	Brown
ARIDGECAPGRY	Grey
ARIDGECAPTER	Terracotta



Easyverge starter & end cap

Code	Colours	Qty
VERGEPACKBLK	Black	2 Pack
VERGEPACKBRN	Brown	2 Pack
VERGEPACKGRY	Grey	2 Pack
VERGEPACKTER	Terracotta	2 Pack

Easyverge half round ridge cap C/W flapcap



Code	Colours
HRRIDGECAPBLK	Black
HRRIDGECAPBRN	Brown
HRRIDGECAPGRY	Grey
HRRIDGECAPTER	Terracotta

L/R Handed Dry Verge



Code	Colour
GDV-LH-GR	Grey
GDV-RH-GR	Grey
GDV-LH-BL	Black
GDV-RH-BL	Black
GDV-LH-BR	Brown
GDV-RH-BR	Brown
GDV-LH-TR	Terracotta
GDV-RH-TR	Terracotta
GDV-LH-WH	White
GDV-RH-WH	White

Dry Verge Angled Ridge Cap



Code	Colour
GDV-END-A-BL	Black
GDV-END-A-BR	Brown
GDV-END-A-GR	Grey
GDV-END-A-TR	Terracotta
GDV-END-A-WH	White

Dry Verge Round Ridge Cap



Code	Colour
GDV-END-R-BL	Black
GDV-END-R-BR	Brown
GDV-END-R-GR	Grey
GDV-END-R-TR	Terracotta
GDV-END-R-WH	White

Dry Verge Eaves Closures



Code	Colour
GDV-REC-BK	Rebated - Black
GDV-EC-BL	Black
GDV-EC-BR	Brown
GDV-EC-GR	Grey
GDV-EC-TR	Terracotta
GDV-EC-WH	White

LINEAR DRY VERGE



Linear Dry Verge

Code	Description
GLV-LH-GR	Linear Dry Verge L/H Grey
GLV-RH-GR	Linear Dry Verge R/H Grey
GLV-LH-BL	Linear Dry Verge L/H Black
GLV-RH-BL	Linear Dry Verge R/H Black



Linear Dry Verge Accessories

Code	Description
GLV-FC-GR	Linear Fixing Clip Grey
GLV-FC-BL	Linear Fixing Clip Black
GLV-EE-BL	Linear Eaves Ends Black
GLV-EE-GR	Linear Eaves Ends Grey

CONTINUOUS DRY VERGE



Slate verge 2m

Code	Pack qty
VERGEBS	1



Dry verge jointing clips

Code	Pack qty
CO2PJBL	1

R type continuous dry verge



Code	Colours
RTYPECONTBLK5M	Black
RTYPECONTBRN5M	Brown
RTYPECONTWHT5M	White
RTYPECONTAG5M	Anthracite Grey

Slate dry verge continuous (S Type)



Code	Colours
SLATEDVCONTBLK	Black
SLATEDVCONTWH	White
SLATEDVCONTAG	Anthracite Grey
SLATEDVCONTBR	Brown

DRY RIDGE

EasyRidge F Dryfix Ridge Kit 6m




Code
EASYRIDGEF6BLK

Easyridge F plus dryfix ridge kit 6m



Code	Colour
EASYRIDGEFBLK	Black
EASYRIDGEFGRY	Grey

Ridge rolls



Code	Size	Pack qty
ENV330RIDGEROLL	330mm x 6m	1
ENV180HIPROLL	180mm x 6m	1

Easyridge F hip accessory kit 6m



Code
EASYRIDGE/HIPKIT

3-in-1 Eaves Vent Kit

THE COST EFFECTIVE SOLUTION FOR YOUR EAVES LEVEL VENTILATION REQUIREMENTS

Our 3-in-1 eaves ventilation kit includes everything you need to provide 6 metres of eaves ventilation



Code
EDEV/3IN1VENTPAK

ROOFING MEMBRANE

Easy-Trim Grafter Breather Membrane

A lightweight hybrid breathable roof underlay. Suitable for Warm and Cold roof application.



Code	Weight	Size
MEMBGRAFT50M	100gsm	1 x 50m
EASYTRIMGRAFT1.5	100gsm	1.5 x 50m
ETGRAFINTE120	100gsm	1 x 20m Integrated

Easy-Trim Pro Breather Membrane

Pro delivers performance and strength whilst still having a relevant price for most budgets. Suitable for Warm and Cold roof application.



Code	Weight	Size
MEMBPRO50M	122gsm	1 x 50m
MEMBPRO50M1.5M	122gsm	1.5 x 50m
ETPROINTE1	122gsm	1 x 50m Integrated

Easy-Trim Ultra Breather Membrane

Ultra provides further high performance with a heavier weight for strength, durability, and no gusting wind noise in all applications. Suitable for Warm and Cold roof application.



Code	Weight	Size
EASYTRIMULTRA1M	142gsm	1 x 50m
EASYTRIMULTRA15	142gsm	1.5 x 50m

Easy-Trim Non-Breath

Non-Breathe is a 2-layer, non-breathable roof membrane. Non-Breathe roofing membrane provides major benefits over 1F bitumen-based underlays and plastic under slating membrane. Typical applications are re-roofing projects, garages, and porches.



Code	Weight	Size
MEMBPRO45M	120gsm	1 x 45m
NONBREATH15	120gsm	1.5 x 30m

Also available to order from Eurocell branches are the integrated tape range of membranes

Easy-Trim Master Breather Membrane

Master delivers performance and value for money whilst being lightweight and flexible. Suitable for Warm and Cold roof application.



Code	Weight	Size
EASYTRIMMAST1x50	112gsm	1 x 50m
EASYTRIMMAST1.5x50	112gsm	1.5 x 50m
ETMASTINTE1	112gsm	1 x 50m Integrated

Easy-Trim Maxi Breather Membrane

Maxi provides high performance with a heavier weight for strength, durability, and no gusting wind noise in all applications. Suitable for Warm and Cold roof application.



Code	Weight	Size
MEMBMAXI50M	132gsm	1 x 50m
EASYTRIMMAXI15	132gsm	1.5 x 50m
EASYTRIMMAXINT 1	132gsm	1 x 50m Integrated

Easy-Trim Fortis Breather Membrane

Fortis is a 4-layer reinforced heavyweight membrane. Complete with a built-in reinforcement grid. Suitable for Warm and Cold roof application.



Code	Weight	Size
EASYTRIMFORT1.5	160gsm	1.5 x 50m

Easy-Trim Vista Breather Membrane

Vista provides ultimate high performance with a real heavy-duty weight for strength, durability and no gusting wind noise in all applications. Suitable for Warm and Cold roof application.



Code	Weight	Size
MEMBVISTA50M	162gsm	1 x 50m
EASYTRIMVISTA15	162gsm	1.5m x 50m
EASYTRIMVISTINT1	162gsm	1 x 50m Integrated


are you a trimmer?

SUPPLIER OF CHOICE 

When you choose Easy-Trim, you're selecting a trusted partner committed to delivering high-quality, British-made construction and roofing solutions. Join the **Trimmer** community make the easy choice.

Easy-Trim Roofing & Construction Products Limited

Unit 12B, Metcalf Drive,
Altham Industrial Estate,
Altham, Lancashire,
England, BB5 5TU


Tel: 01282 930680
Email: sales@easy-trim.co.uk
Web: www.easy-trim.co.uk

easy-trim 
Roofing & Construction Products

DRY VALLEY & BONDING STRIP

THE COST-EFFECTIVE ALTERNATIVE TO LEAD GUTTERS. V-FLOW VALLEY TROUGHS CAN BE USED WITH CLAY OR CONCRETE TILES OR SLATE ROOFS, AS WELL AS PROFILED GRP OR METAL ROOFS. OPTIONS ARE AVAILABLE FOR WET OR DRY FIXING (WITH OR WITHOUT MORTAR).

Life expectancy of over 30 years	Virtually maintenance-free
Convincing simulation of traditional lead	Manufacture assured to BS EN ISO 9001
Light and easy to transport, handle and install	BBA Certification (No 18/5546)

7 DAYS

SPECIAL ORDER DELIVERED IN 7 DAYS

CROMAR
Building Products

GJS1 **Secret joint strip**
(Bonded in channel)
W:216mm x L:3m

10 pack qty

GAS1 **Abutment soaker**
W:140mm x L:3m

10 pack qty

GDFBS110 **Dry fix bonding strip**
(Concrete/Clay tile)
W:225mm x L:3m

10 pack qty

GDFBS70 **Dry fix bonding strip - use with natural/slate man made**
W:225mm x L:3m

10 pack qty

GDFCD110 **90° top closure - use with GDFVT110**

10 pack qty

GFVTCS110 **Eaves closure piece - for GDFVT110**

10 pack qty

GDFVT110 **Dry fix valley trough - (Concrete/Clay tile)**
W:400mm x L:3m

10 pack qty

GDFVT70 **Dry fix valley trough - (Natural/Man made slate)**
W:400mm x L:3m

10 pack qty

GDFVTC70 **90° top closure use with GDFVT70**

10 pack qty

GRP VALLEY TROUGHS

Standard valley trough
(Double lap) slate/tiles

Code	Size	Pack qty
GSVT1	W:330mm x L:3m	10

Narrow valley trough
(Single lap tile) over batten fix

Code	Size	Pack qty
GTB13	W:360mm x L:3m	10

Standard valley trough
(Single lap tile) over batten

Code	Size	Pack qty
GTB14	W:400mm x L:3m	10

Standard valley trough
(Slate or tile) under batten

Code	Size	Pack qty
GTF14	W:400mm x L:3m	10

PRO DRY VALLEY & PRO BONDING STRIPS

Pro valley bonding strip

Code	Size	Pack qty
GDFBSUB10	D:100mm x W:225mm x L:3m	10
GDFBSUB70	D:70mm x W:225mm x L:3m	10

Pro valley

Code	Size	Pack qty
GDFVTUB10	D:105mm x W:400mm x L:3m	10
GDFVTUB55	D:55mm x W:400mm x L:3m	10
GDFVTUB80	D:80mm x W:400mm x L:3m	10

FLASHING

CONTENTS

Midland Lead	52
Lead alternative	56
Bostik Flashband	57
Easy-trim Lead R	58
Cromar Leadax	60

FLASHING IS AN IMPERVIOUS MATERIAL INSTALLED TO WEATHERPROOF AREAS OF A STRUCTURE.

For roofing applications, lead is traditionally used, but we also offer lead free alternatives, which are suitable for rainwater harvesting.

- **Midland Lead** - Eurocell offer an extended range of Lead Flashing from Midland Lead, with Code 3 – Code 8 available either in branch or to order. Lead can be used on various applications including Flat roofs, dormer, chimney flashing, cover flashing, lead valleys and soakers.
- **Bostik Flashband** Self Adhesive Flashing Tape for Roofs is a flexible bitumen strip that bonds instantly to most building materials to provide a permanent, watertight seal.
- **Easy Trim Lead-R** - BBA approved Easy Lead R and Easy Lead R Smooth are aluminium based, high performance, low cost flashing products. They are used as a replacement for traditional lead in flat and pitched roof applications.
- **Cromar Leadax** - Leadax is the first lead alternative in the World with the same properties as Traditional Lead. Leadax is not harmful to health or the environment. A second-generation lead alternative which is not only easier to use but also easier on your pocket.



Midland Lead



Bostik Flashband



Easy Trim Lead-R



Cromar Leadax

LEAD FLASHING & ROOFING LEAD



Lead remains the material of choice for roofing, weatherproofing, radiation protection and soundproofing.

- Malleable but durable and typically lasts over 100 years
- Sustainable and environmental friendly
- 100% recyclable
- Cost effective, practical and stylish
- Easy to use
- Adaptable and fit-for-purpose
- Available in codes and sizes to suit you

What Lead code you need for your next project

If you want to know what lead code to use and where, use our handy guide...

LEAD DETAILING	CODE 3 1.32mm	CODE 4 1.80mm	CODE 5 2.24mm	CODE 6 2.65mm	CODE 7 3.15mm	CODE 8 3.55mm
Flat roof	x	x	•	•	•	•
Dormer	x	x	•	•	•	x
Chimney flashing	x	•	•	•	x	x
Lead valley	x	•	•	•	•	x
Cover flashing	x	•	•	•	x	x
Soakers	•	•	x	x	x	x

CODE 3 Thickness (mm): 1.32 Weight (kg/m²): 15.0

Uses: Lead soakers

CODE 4 Thickness (mm): 1.80 Weight (kg/m²): 20.4

Uses: Soakers, flashings, vertical cladding, hip and ridge flashing, chimney flashing, apron and cover flashings, pitched valley gutters, bay tops and canopies, vertical cladding

CODE 5 Thickness (mm): 2.24 Weight (kg/m²): 25.4

Uses: Flat roofing, pitched roofs, flashing, vertical cladding, hip and ridge flashing, dormers, parapet, box and tapered valley gutters, bay tops and canopies, chimney flashing, apron and cover flashings, pitched valley gutters, vertical cladding

CODE 6 Thickness (mm): 2.65 Weight (kg/m²): 30.1

Uses: Flat roofing, pitched roofs, hip and ridge flashing, dormers, parapet, box and tapered valley gutters, chimney flashing, apron and cover flashings, pitched valley gutters, bay tops and canopies, vertical cladding

CODE 7 Thickness (mm): 3.15 Weight (kg/m²): 35.7

Uses: Flat roofing, pitched roofs, dormers, parapet, box and tapered valley gutters, pitched valley gutters, bay tops and canopies, vertical cladding

CODE 8 Thickness (mm): 3.55 Weight (kg/m²): 40.3

Uses: Flat roofing, pitched roofs, parapet, box and tapered valley gutters, bay tops and canopies.



Eurocell stock various Code 3 Lead roll sizes, with an extended range Code 4-8 available to order

Real Lead Sheet

ASK IN BRANCH FOR THE LATEST LEAD PRICE



- BBA, NHBC & EPD Approved
- Made from 100% recycled, circular raw materials
- UK Manufactured
- Full range of thicknesses for all applications of leadwork

MACHINE CAST LEAD

Code 3 (1.32mm) to Code 8 (3.55mm)

Standard lengths 3m & 6m

Standard widths 150mm - 1400mm

Supported by a range of ancillary products

Eurocell stock various Code 3 Lead roll sizes, with an extended range Code 4-8 available to order



Patination Oil



Code	Size
PO1	500ml

Accessories

Code	Description
AA121	Bag of 50 fixing clips
AA06	Multi Slate

Code 3	Code 4	Size
ML3150/3	ML4150/3	150mm x 3m
ML3180/3	ML4180/3	180mm x 3m
ML3210/3	ML4210/3	210mm x 3m
ML3240/3	ML4240/3	240mm x 3m
ML3240/6	ML4240/6	240mm x 6m
ML3300/3	ML4300/3	300mm x 3m
ML3330/3	ML4330/3	330mm x 3m
ML3360/3	ML4360/3	360mm x 3m
ML3390/3	ML4390/3	390mm x 3m
ML3420/3	ML4420/3	420mm x 3m
ML3450/3	ML4450/3	450mm x 3m
ML3150/6	ML4150/6	150mm x 6m
ML3180/6	ML4180/6	180mm x 6m
ML3210/6	ML4210/6	210mm x 6m
ML3240/4	ML4240/4	240mm x 4m

Pack qty 1

Code 3	Code 4	Size
ML3270/3	ML4270/3	270mm x 3m
ML3300/6	ML4300/6	300mm x 6m
ML3330/6	ML4330/6	330mm x 6m
ML3360/6	ML4360/6	360mm x 6m
ML3390/6	ML4390/6	390mm x 6m
ML3420/6	ML4420/6	420mm x 6m
ML3450/6	ML4450/6	450mm x 6m
ML3480/3	ML4480/3	480mm x 3m
ML3510/3	ML4510/3	510mm x 3m
ML3540/3	ML4540/3	540mm x 3m
ML3570/3	ML4570/3	570mm x 3m
ML3600/3	ML4600/3	600mm x 3m
ML3750/3	ML4750/3	750mm x 3m
ML3800/3	ML4800/3	800mm x 3m
ML3900/6	ML4900/6	900mm x 6m
ML31000/6	ML41000/6	1000mm x 6m
ML31350/3	ML41350/3	1350mm x 3m
ML31400/3	ML41400/3	1400mm x 3m
ML3480/6	ML4480/6	480mm x 6m
ML3510/6	ML4510/6	510mm x 6m
ML3540/6	ML4540/6	540mm x 6m
ML3570/6	ML4570/6	570mm x 6m
ML3600/6	ML4600/6	600mm x 6m
ML3750/6	ML4750/6	750mm x 6m
ML3900/3	ML4900/3	900mm x 3m
ML31000/3	ML41000/3	1000mm x 3m
ML31200/3	ML41200/3	1200mm x 3m
ML31350/6	ML41350/6	1350mm x 6m
ML31400/6	ML41400/6	1400mm x 6m

MARKET EXPERTS IN LEAD PRODUCTION AND SUPPLY

PROUD TO BE A SUPPLY PARTNER OF

eurocell



FULL RANGE OF THICKNESSES FOR ALL APPLICATIONS OF LEADWORK

PATINATION OIL

Patination oil prevents the unsightly white carbonate staining of lead, tiles and brickwork that can occur when lead work is left untreated. Available in 125ml, 500ml & 1 litre bottles.




FIXING CLIPS

Fixing clips are a fast and efficient way to fix lead sheet into a joint. Available in packs of 20 & 50 clips.



MULTISLATES

A lead and rubber universal weathering slate - code 4 lead base - can be dressed to any tile shape and will accept pipes from 25 mm to 150 mm in diameter. Our multislates can be used on both flat & pitched roofs.



LEAD ALTERNATIVE FLASHING

WHAT YOU NEED TO KNOW

- Roof flashings could be used to replace traditional lead
- Easily cut with sharp scissors or a knife
- At least half the installation time of traditional lead
- No re-sale value that not prone to theft
- Self-adhesive lead flashings available
- Easy to install, easy to handle, and easy on the wallet



Bostik
smart adhesives

BOSTIK FLASHBAND SELF-ADHESIVE FLASHING TAPE

Bostik Flashband Self Adhesive Flashing Tape for Roofs is a flexible bitumen strip that bonds instantly to most building materials to provide a permanent, watertight seal.

Instant watertight seal


Quick and easy application

For new build or emergency repairs

GREY

GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS



**OVER 6000
PRODUCTS AVAILABLE
IN BRANCH**



**210+ BRANCHES
NATIONWIDE**



**TRADE CREDIT
AVAILABLE***



**DEDICATED
ACCOUNT MANAGER**



**EXCLUSIVE TRADE
ACCOUNT PRICING**



**ONLINE TRADE
ACCOUNT**

* Trade accounts are subject to T&Cs and acceptance.

LEAD ALTERNATIVE – FLASHBAND

Flashband is easily applied using just hand pressure and a seam roller and is ideal for new build, maintenance and repair projects, including:

Roofing

- Replace damaged lead flashing
- Seal upstands and eve pieces
- Roof capping
- Edge flashing on roofing felt
- Repair roofing felt or joints on flat roofs

Drainage

- Seal or repair valley gutters, guttering and down pipes

Flashband has four layers of protection, meaning it's both tear and impact resistant and can withstand extreme temperatures of up to 100°C.

Four Layers of Protection

- Lacquer coating
- Heavy duty aluminium foil
- Tear resistant polyester membrane
- Polymer enhanced bitumen adhesive

Bostik Flashband



Code	Size	Colour
BTKFB10X100	100mm x 10m	Grey
BTKFB10X150	150mm x 10m	Grey
BTKFB10X225	225mm x 10m	Grey

LEAD-FREE FLASHING



- THE SUSTAINABLE, COST-EFFECTIVE ALTERNATIVE TO LEAD
- Zero re-sale value - theft and vandalism are eliminated
 - Cost effective alternative to traditional lead
 - Durable
 - Malleable
 - Easy to install
 - Easily cut



Lead-free flashing rolls		
Code	Size	Description
LEAD-R150SG	150mm x 5m	EasyLead R Smooth
LEAD-R300SG	300mm x 5m	EasyLead R Smooth
LEAD-R450SG	450mm x 5m	EasyLead R Smooth
LEAD-R600SG	600mm x 5m	EasyLead R Smooth
LEAD-R150CG	150mm x 5m	EasyLead R Textured
LEAD-R300CG	300mm x 5m	EasyLead R Textured
LEAD-R450CG	450mm x 5m	EasyLead R Textured
LEAD-R600CG	600mm x 5m	EasyLead R Textured



SMOOTH FINISH

LEAD ALTERNATIVE - EASY LEAD R

BBA approved Easy Lead R and Easy Lead R Smooth are aluminium based, high performance, low cost flashing products. They are used as a replacement for traditional lead in flat and pitched roof applications.

Made of sheet aluminium with a protective anti-corrosion coating and a high-performance butyl adhesive on the underside. Installation is simple, with no special tools required it can be cut with a knife or scissors.

Easy Lead R has a unique corrugated pattern, so it is easy to form and to adapt to various surfaces; this malleability ensures the permanent water tightness of the product and an attractive appearance every time.

Easy Lead R Smooth has the same benefits and characteristics of Easy Lead R, only with a smooth finish thus effectively mimicking the appearance of traditional lead. Easy Lead R provides a permanent bond to brickwork, roof tiles and most popular construction materials.

- Typical application**
- Soakers
 - Abutments
 - Chimneys
 - Dormers
 - Saddles
 - Stepped
 - Valleys
 - Windows and rooflights
 - Valleys and gutters



TEXTURED FINISH



LEAD-FREE FLASHING



LEAD ALTERNATIVE TO CODE 5 LEAD

Leadax is the first lead alternative in the World with the same properties as Traditional Lead

A non-toxic and sustainable product

Light weight

Longer roll lengths

Circular material

LEAD ALTERNATIVE - LEADAX

Leadax is the first lead alternative in the World with the same properties as Traditional Lead. Leadax is not harmful to health or the environment. A second-generation lead alternative which is not only easier to use but also easier on your pocket.

Features and benefits:

Cheaper - Leadax is cheaper to buy than traditional lead, and because Leadax is also faster to install, this leads to lower installation costs.

A non-toxic and sustainable product - Unlike traditional water-resistant materials, Leadax does not contain any heavy metals.

Circular material - The basic raw material is recycled PVB. PVB is the foil that is used in laminated glass (e.g. car windows or safety glass).

Light weight - Leadax is lighter than lead and therefore easier to use.

Longer roll lengths - Leadax is available in longer strips. So you can seal larger areas with less overlap, saving you materials and time.

Finish - Leadax comes in lead grey as standard. However, the product is also available in black, roof tile red and different colours are available, such as copper at an extended lead-time.

Durable - Leadax has the same natural look as traditional sheet lead, however it leaves no staining on roof tiles or masonry. The life expectancy is at least 20 years.


Certified - Leadax has been certified by BBA & KIWA.




LEAD ALTERNATIVE - LEADAX

Leadax
6m roll

Code	Size	Pack qty	Colour
KLD/150/GY	150mm x 6m	1	Lead Grey
KLD/200/GY	200mm x 6m	1	Lead Grey
KLD/250/GY	250mm x 6m	1	Lead Grey
KLD/300/GY	300mm x 6m	1	Lead Grey



Code	Size	Pack qty	Colour
KLD/400/GY	400mm x 6m	1	Lead Grey
KLD/450/GY	450mm x 6m	1	Lead Grey
KLD/600/GY	600mm x 6m	1	Lead Grey
KLD/1000/GY	1000mm x 6m	1	Lead Grey



FEATURES & BENEFITS



Malleable, durable, waterproof and lightweight



Zero resale value, eliminating theft and vandalism



20 years+ life expectancy




Requires no additional sealants or tape



High performance adhesive for a permanent bond



Resistant against corrosion and UV degradation



Smooth or textured finish




No special tools required - simply cut with a knife or scissors

FLAT ROOFING

CONTENTS

Elevate rubber roofing	64
Liquid waterproofing Ultra Flex	72
Cromar ProGRP	74
Flexiglass GRP	76
TriRoof HPX	78
Acrypol repair	79
GRP Trims	80
Timber	84
Insulation	86




- **Elevate Rubber Cover™ EPDM**
Flat roofing membranes for residential use.
- **Ultra Flex Liquid Flat Roof Waterproofing** is a single component liquid that cures through moisture contact and therefore is used directly from the container with no requirement for additional additives.
- **Cromar PRO GRP** is the professional choice for glass fibre flat roofing. Cold-applied and with high impact and fire resistance, it provides a seamless, highly durable, flexible and virtually maintenance-free finish for almost any flat roof surface. Pro GRP is available in component form.
- **HPX TriRoof HPX** is the ultimate Roofing Overlay System, designed to work all year round from the colder, wetter months and throughout the heat of the summer. TriRoof HPX can be applied effortlessly on nearly any surface and even on wet or damp substrates, meaning you don't have to plan your work around the weather.
- **Acrypol +** is The original instant waterproof solution for emergency leaks & failing flat roofs.

PERFECT PARTNER



Tongue & Groove OSB3



SKYPOD ROOF LANTERN WITH CROMAR PRO GRP GLASS FIBRE FLAT ROOFING SYSTEM

FLAT ROOFING - RUBBER



ELEVATE RUBBERCOVER™ EPDM FLAT ROOFING MEMBRANE FOR RESIDENTIAL USE.


- Watertight & durable roofing solution
- Excellent resistance to ageing (UV and ozone)
- Excellent flexibility at low temperatures (-45°C)
- Large dimension membranes significantly decrease installation time
- Compatible with green roofing systems and photovoltaics
- Repaired/extended easily during service-life

Successfully installed worldwide – from the arctic conditions of Siberia to the blistering heat of the Middle East, Elevate EPDM membranes ensure the water-tightness of tens of thousands of buildings.

Key Features & Benefits

- Watertight & durable roofing solution
- Excellent resistance to ageing (UV and ozone)
- High elasticity (>300% elongation)
- Excellent flexibility at low temperatures (-45°C)
- High puncture resistance
- Membrane and seams display high resistance to hydrostatic pressure
- Fire resistance to external sources (Low-Slope-Fire-Retardant EPDM)
- Inert (no solvents or plasticizers). The membrane composition remains constant over time
- Compatible with the collection of rainwater
- Resistant to micro-organisms
- Large dimension membranes significantly decrease installation time
- Reduced environmental impact compared to other waterproof membranes and in line with ecological requirements
- Compatible with green roofing systems and photovoltaics
- Easy installation and can be repaired/extended easily during service-life





RubberCover EPDM Membrane

Code	Description	Size
RCR3MSQM	Rubbercover EPDM Roll 3.05x30.5m	3.05 x 30.5m
RCR45MSQM	Rubbercover EPDM ROLL 4.57 X 30.5m	4.57 x 30.5m
RCR6MSQM	Rubbercover EPDM Roll 6.1x30.5m	6.1 x 30.5m



Elevate Contact Adhesive

For bonding rubber to substrate

Code	Size
RCSPRAY	750ml



Water Based Adhesive

Code	Size
RCWBA10F	10l
RCWBA25F	2.5l



Contact Bonding Adhesive - in green

Code	Size
RCCBA5F	5l
RCCBA10F	10l
RCCBA25F	2.5l



Quickprime Plus

For bonding rubber to rubber

Code	Size
RCQP1	1l



Elevate Lap Sealant

Code	Size
RCLAP	325ml

Eurocell Contact Adhesive

Code	Size
RCBA10	10l
RCBA2.5	2.5l
RCBA5	5l

FLAT ROOFING - RUBBER



Trims & flashing

Code	Description	Size
RCULTRACURB	Ultratrim Curb Edge Profile 65mm x 3.5m	65mm x 3.5m
RCULTRAGUTT	Ultratrim Gutter Edge 65mm x 2.5m	65mm x 2.5m
RCULTRACOR	Ultratrim Corner Endcap (Large)	N/A
RCULTRAEND	Ultratrim Trim Endcap (Small)	N/A
RCULTRACLIP	Ultratrim Joint Clips	N/A
RCWALL	Wall Flashing 70mm x 3m	70mm x 3m



Ultratrim external corner

Code	Description
RCULTRAEXT	Ultratrim External Corner



Ultratrim internal corner

Code	Description
RCULTRAINT	Ultratrim Internal Corner



Batten cover strip

Code	Size
RCQSBCSRM	152mm x 30.5m
RCQSFLT5X30.5M	127mm x 30m

Quickseam Flashing Tape



Formflash roll

Code	Size
RCFFLASROLL	229mm x 15.25m



Quickscrubbers

Code	Description
RCQSH	Quickscrubber Handles
RCQTSP	Quickscrubber Pads



Moulded pipe flashings

Code	Description
RCQSPB	Moulded Pipe Flashings



Quickseam corner flashing

Code	Description
RCQSCF	Corner Flashing

Authorised RubberCover™ Training Program...

- Formally recognised certificate
- Authorised installer recognition
- Enhanced support
- Extended warranties



Standard warranty = 10 years
Extended warranty = 20 years

© ebp building products Authorised Training is available for a small charge, please ask for further details

FLAT ROOFING - RUBBERGUTTER

RubberGutter EPDM SA is a self adhered, synthetic EPDM rubber waterproofing membrane especially conceived to give gutters a second, very long service life.

Refurbish a wide range of commercial & residential guttering profiles with highly durable & easy to apply Elevate RubberGutter, providing a water-tight gutter lining & extending the life-span of gutters while saving on expensive removal & replacement costs that a typical gutter removal project may otherwise incur.

Suitable for a wide range of gutter types including; Valley, Finlock, Box, Metal, Wood & Concrete Gutters.



Elevate RubberGutter

Code	Description	Size
RCG150	EPDM SA Membrane	20m x 1.5m x 1.30mm thick
RCG75	EPDM SA Membrane	20m x 0.75m x 1.30mm thick

Elevate EPDM Prefabricated Drain Insert

Code	Size
RCPDRAIN75	75mm diameter
RCPDRAIN110	110mm diameter

Elevate Batten Bar

Code	Size
RCTERMBAR	3m Length



Elevate EasySealant

Code	Size
RCES290	290ml

Elevate Cleaner C-20

Code	Size
RCAC500	500ml Spray Can

Elevate QuickPrime Plus Primer

Code	Size
RCQP1	1 litre Can

Silicone Rubber Roller

Code
RCSRR

SILICONES & PU FOAM

POWER PRO SEALANT GUN

- Heavy duty gun with extra pull trigger, hook end and swivel action barrel for both
- 310ml and 400ml cartridges



Code SGPOWER

DESIGN FOAM GUN

- Heavy duty metal foam gun
- Professional quality



Code PFGUN

UTILITY KNIFE




Code DR68505

TRIMMING KNIFE BLADES



Code DR3421

CHISEL KNIFE



Code ELPUTTKN


6-IN-1 DECORATOR'S TOOL



Code ELDECT6IN1

TRADE ESSENTIALS GASKET SHEARS

- 45° faces
- Cuts neatly through rubber gaskets and small PVC-U trims
- Slices cleanly through plastic, rubber and wood up to 15mm thick



Code ELGASKSH

SILIRUB 2

Colours available:
White, Clear and a range of Colours



300ml

Code SILI2

SILIRUB LMN


Colours available:
White, Clear and a range of Colours



300ml

Code SILILMN


SILIRUB N



300ml

Code SILI2RUBN

SILIRUB PC



300ml

Code SILIRUBPCCL

SOUDALEAD LEAD SEALANT



300ml

Code SLEADPB

PVCU GAP FILLER



300ml

Code GAPFILLER

PROFESSIONAL COX GUN



Code PPCOX400

SOUDAL WINDOW & DOOR XTRA



750ml

Code SOUDAFOAMXTRA

SOUDAFOAM GUN PU FOAM



750ml

Code SGF750

PROFESSIONAL PU FOAM GUN



Code PFREDGUN

FIX ALL IS A RANGE OF ALL-ROUNDER SEALANTS AND ADHESIVES, SUITABLE FOR A WIDE VARIETY OF APPLICATIONS – NO PRIMER REQUIRED!



FIX ALL CRYSTAL

- 100% crystal clear
- Ideal for kitchens, bathrooms and flooring

CL Clear

Code FIXALLCRYSTAL

290ml

FIX ALL FLEXI

- High elasticity and strength

WH White

Code FIXALLCLASSIC

290ml

FIX ALL HIGH TACK

- Super strong
- 320kg/10cm²
- Ideal for heavy materials ie. mirrors

WH White, BK Black, GY Grey

Code FIXALLHITACK

290ml

FIX ALL TURBO

- Super fast – 20-min bond!
- End bond in 3 hours

WH White

Code FIXALLTURBO

290ml

FIX ALL EXTREME

- Ultimate grab, 400kg/m²
- Heavy duty bonding
- Ideal for sheet material, decor cladding, heavy objects

WH White

Code FIXALLXTR

290ml

FIX ALL HIGH TACK INVISIBLE

- High initial tack reducing the need for initial support
- Super clear

IN Invisible

Code FIXALLINVHITAK

290ml

FLAT ROOF - WATERPROOFING LIQUID

ULTRA-FLEX HIGH PERFORMANCE LIQUID WATERPROOFING

ULTRA FLEX

BEST SELLER

QUICKCURE

ULTRA FLEX 15KG

25 YEARS

New QUICK-CURE
Can be used to speed up the curing process and **COMPLETE THE JOB IN 1 DAY!**

FEATURES & BENEFITS

Ultra Flex is a single component liquid that cures through moisture contact and therefore is used directly from the container with no requirement for additional additives.

It is ideal for

New roofs

Repair or refurbishment of existing roofs

Flat & low pitched roofs

Complex detailing

Box Gutters and Valleys

Benefits include

Pre-mixed

Excellent adhesion to most surfaces

Early rain resistance

Cold weather application

Easy wet-on-wet application

Easy to use with detail and awkward areas

Flame/heat free application

Highly elastomeric

Reinforced & seamless

From small domestic to large commercial roofs

Balcony systems available

Guarantees
available from
15 to 25 years



High performance liquid waterproofing system

Code	Description	Size
EAGLEUDG15KG	Ultra-Flex dark grey 15kg	15kg
EAGLEUM60M	Ultra-Flex matting 60mtr x 1mtr	60m x 1m
EAGLEUM20M	Ultra-Flex matting 20mtr x 1mtr	20m x 1m
EAGLECT2.5	GRP Checktrim - Non Drip 2.5mtr	2.5m
EAGLEDT2.5	GRP Driptrim - Drip 2.5mtr	2.5m
EAGLE9S9"	Ultra-Flex sleeve	9"
EAGLE4S4"	Ultra-Flex sleeve (10 pack)	4"
EAGLE9A9"	Caged roller arm	9"
EAGLEPCND	Preformed corner non drip	N/A
EAGLEDCL	Driptrim to checktrim Left hand corner	N/A
EAGLEUP	Ultraflex Primer	5kg
EAGLEDCR	Driptrim to checktrim Right hand corner	N/A
EAGLE4A4"	Roller arm	4"
ULTRATOP	Ultratop	5kg
ULTRAPCD	Preformed Drip Corner	N/A
TUB11L	Ultraflex Storage Tub + Lid	11L
UT	Tixal additive for vertical applications	1L
UQC	Quick-Cure additive to speed up curing process	1.2L
EAGLEST	Ultraflex Gap filler and sealant	290ml



FLAT ROOF - WATERPROOFING LIQUID

FLAT ROOF WATERPROOFING - PRO GRP

PRO GRP

No Joints, No Seams,
No Leaks

-  HEAT RESISTANT
-  FOOT TRAFFIC
-  FIRE RESISTANT
-  FROST PROOF
-  STORM PROOF
-  IMPACT RESISTANT



CROMAR
Building Products

GRP stands for Glass Reinforced Polyester, and is also known as Glass-Fibre.

This system is cold applied on site, giving it a seamless and flexible weatherproof finish that resists water, heat and frost. The resulting surface gives a strong architectural finish that looks very impressive. If maintained properly it will last as long as the building stands.

Cromar have developed this technology further to produce the perfect all-weather protection for any flat roof. PRO GRP can be applied in small domestic situations right through to large industrial environments.

The PRO GRP system is available in individual component form allowing the flexibility to buy exactly what's required for your next GRP roofing job.



PRO GRP

Code	Description
G25/RES10	Pro 25 Resin 10kg
G25/RES20	Pro 25 Resin 20kg
G25/TOP10	Pro 25 Topcoat 10kg
G25/TOP20	Pro 25 Topcoat 20kg
GA/25	Acetone 25l
GA/5	Acetone 5l
GA/C1	C1 Universal External Corner Trim
GA200/RSDT-1	Fascia Trim – A200 3m
GB/ROLL	Glass Fibre Bandage 100mm 3.5kg
GB/ROLL75	Glass Fibre Bandage 75mm 3.5kg
GB260/RSRT-2	Raised Edge Trim - B260 3m
GBB/140	Bubble Buster V Roller 140mm x 21mm
GBB/225	Bubble Buster V Roller 225mm x 21mm
GBB/225/40	Bubble Buster V Roller 225mm x 40mm
GBB/70	Bubble Buster V Roller 70mm x 21mm
GC100/RSLT-1	Simulated Lead Trim - C100 3m
GD260/RSAT-1	Wall Fillet Trim - D260 3m
GDISP/80	Dispenser Bottle 80ml
GEXP	Expansion Joint/Roll Top Trim 3m
GEXT/195/RS/INT	External Angle Trim - Ext/195 3m
GF300	F300 Flat Sheet 20M Roll
GFILL/3	3" Roller Refill
GFILL/7	7" Roller Refill
GFILL/9	9" Roller Refill

PRO GRP

Code	Description
GH/1	Hardener 1l
GH/5	Catalyst Hardener 5kg
GINT/195.RS/INT	Internal Angle Trim - Int/195 3m
GMAT/	Fibreglass Matting Csm 450gsm 16.5kg
GMAT/15	Fibreglass Matting Csm 450gsm 6.75kg
GMAT/35	Fibreglass Matting Csm 450gsm 35kg
GMAT/35600	Fibreglass Matting Csm 600gsm 35kg
GPAD/140	140mm x 21mm Laminating Paddle
GPAD/225	225mm x 21mm Laminating Paddle
GPAD/70	70mm x 21mm Laminating Paddle
GPB/2	2" Laminating Brush
GPB/3	3" Laminating Brush
GPB/4	4" Laminating Brush
GROLL/3	3" Resin Applicator Roller
GROLL/7	7" Resin Applicator Roller
GROLL/9	9" Resin Applicator Roller
GRP/KIT13B	Grp 13Sqm Kit
GTISH	Grp Finishing Tissue 100mm x 250m
MPHM/031	Pu Adh Grp Trim Adhesive 310 mil
OSB2400X1200X18	2400mm x 600mm x 18mm T&G OSB3 Board
SEMPY/10	10l White Plastic Tub
SEMPY/501	5l White Plastic Tub

FLAT ROOF - WATERPROOFING LIQUID

FLAT ROOF WATERPROOFING - FLEXIGLASS GRP



Acrypol Flexiglass® is a versatile grp resin roof system designed for new and existing roofs.

Flexiglass® can be applied to almost any roof surface such as felt, asphalt, concrete and OSB3 TG board as a new roof covering. Flexiglass® is a totally seamless, highly flexible roof system ideal for any sized job.



Flexiglass Resin

Code	Size
G20FLEXITC20	20kg



Flexiglass Encapsulating Primer

Code	Size
G20FLEXIPRIMER5	5kg



Flexiglass BPO Catalyst

Code	Size
G20BPO50	50kg
G20BPO100	100kg
G20BPO200	200kg



Flexiglass Matting

Code	Size
GMATT/225/6.75	6.75kg (30m approx)
GMATT/225/16.5	16.5kg (73m approx)
GMATT/225/33	33kg (146m approx)

Flexiglass Joint Bandage



Code	Size
GMAT/225BAN	6.75kg (30m approx)



ADVANTAGES:

- Flexible GRP for all types of common roofing substrates
- One resin for both base & topcoat
- Quick cure primer
- Uses a 225G chopped strand matting for the ultimate in flexibility
- Health & Safety conscious catalyst with easy application
- Suitable for both new decks & refurbishment projects
- Superior adhesion
- Unaffected by direct sunlight
- Approved contractor scheme
- 20 Year product warranty



For more information please visit:
www.cromarbuildingproducts.com/acrypol-flexiglass/
 or scan the code.



Units 3,4,5 Northside Industrial Park,
 Whitley Bridge, DN14 0GH
 Tel: 01977 663 133 Fax: 01977 662 186
 Web: cromar.uk.com



FLAT ROOF - WATERPROOFING LIQUID

FLAT ROOF WATERPROOFING - HPX

FEATURES & BENEFITS

Dark grey colour

Instantly waterproof even when it's raining - applies flawlessly to damp surfaces

Use it straight out of the tin - no mixing/no additional hardener

Applies to most common substrates - rubber, concrete, grp, asphalt



TriRoof HPX is the ultimate Roofing Overlay System, designed to work all year round from the colder, wetter months and throughout the heat of the summer.

TriRoof HPX can be applied effortlessly on nearly any surface and even on wet or damp substrates, meaning you don't have to plan your work around the weather.

Once fully cured, HPX remains elastic and can stretch up to 300% of its original size, meaning any movement in the surface will not split or tear the membrane.

For an even tougher, more resilient roof, a layer of glass matting can be incorporated into the liquid to help bind the roof together. HPX is waterproof, UV resistant and has a 10 year guarantee. Adding a second layer with the HPX reinforcement kit will guarantee your roof for 20 years.

This product is cold applied and requires no additional hardener or mixing. It can be applied straight out of the tin. HPX is free of bitumen, solvent and isocyanates, making it kinder to the environment and its users.

Code	Description	Size
HPX	HPX Dark Grey	14kg
HPX10KIT	10 Sqm kit - package description	10m ²
HPX20KIT	20 Sqm kit - package description	20m ²



10m kit	20m Kit
10m ²	20m ²
225g HPX Glass Matting	225g HPX Glass Matting
Glass Bandage 5m	Glass Bandage 10m
1x6" Smooth Finish Roller	1x10" Smooth Finish Roller
1x6" Base Roller	1x10" Base Roller
1x6" Roller Handle	1x10" Roller Handle
1x6" Roller Handle	1x10" Roller Handle

FLAT ROOF - WATERPROOFING LIQUID

FLAT ROOF WATERPROOFING - ACRYPOL



THE ORIGINAL INSTANT WATERPROOF SOLUTION FOR EMERGENCY LEAKS & FAILING FLAT ROOFS.

Refurbish failed industrial, commercial or domestic flat roofs

Easy to apply

Single coat application

Can be applied even during damp weather conditions

Fibre reinforced

The original instant waterproof solution for emergency leaks & failing flat roofs. Acrypol+ is a total roof coating waterproof system developed to refurbish failed industrial, commercial or domestic flat roofs and is also ideal for general property maintenance as well as patching repairs. Brush applied as a semi liquid paste; it dries to form an ultra-tough, seamless flexible overlay. Acrypol+ known as the original waterproof coating, can be applied during damp weather conditions and still provide a long-term solution to waterproofing problems, including flat roof repair.

Acrypol+ can be applied during damp weather conditions and at the same time provide a long-term solution to the problem. The all-weather application properties, combined with the simplicity of application, makes this product a particularly attractive proposition to those employing their own labour force for general property maintenance. The versatility of Acrypol+ is acknowledged widely by Municipal Authorities and Maintenance Contractors throughout the United Kingdom.

How does Acrypol+ work?

Acrypol+ is an acrylic resin dispersed in a solvent to form a semi-liquid paste. The coating film dries into a tough durable elastic overlay that prevents the passage of water yet is chemically structured to allow trapped moisture to evaporate, thus avoiding the formation of blisters. A specific feature is incorporated with added fibres, fibres that act like a built-in scrim. These fibres interlace when the coating is applied - filling and bridging gaps and cracks (up to 10mm wide). The fibres increase the tensile strength of the dry film making it more durable - a big plus!

- One-coat instant waterproof coating
- Dry and damp application

Can be used on a variety of surfaces:

Flat Roofs, Asphalt, Bituminous surfaces, Brickwork, Gutters, Leadwork, Metals, PVC, Asbestos, Glass, Roofing felt, Rooflights, Concrete, Fibreglass.

Coverage: 1-2kg/m² average

Drying time: 2-3 days depending on ambient temperature and ventilation

Colour Options: GRY Medium Grey, BLK Black





Acrypol+
5kg



Code	Description	Size	Colour
ACRYPOLGRY	Acrypol+ Roofing Liquid Patch Repair	5kg	Grey
ACRYPOLBLK	Acrypol+ Roofing Liquid Patch Repair	5kg	Black

FLAT ROOF WATERPROOFING - GRP TRIMS

	Code	Description
1	GA200/RSDT-1	Fascia trim – A200 3m
2	GA250/RSDT-1	Fascia trim – A250 3m
3	GEXT/195/RS/INT	Raised edge trim - B260 3m
4	GINT/195.RS/INT	Simulated lead trim - C100 3m
5	GB260/RSRT-2	Wall fillet trim - D260 3m
6	GC100/RSLT-1	Internal angle trim - int/195 3m
7	GD260/RSAT-1	External angle trim - ext/195 3m
8	GA/C1	C1 universal ext corner trim std
9	GF300	Expansion joint/roll mop trim 3m
10	GEXP	F300 flat sheet 20m roll



HIGH PERFORMANCE UPVC ROOF WINDOWS

FAKRO UPVC roof windows are manufactured from **eco-friendly materials** giving them an overall recyclability rating of 99%. With an **easy-maintenance**, wipe-clean finish, they are suitable for any space including **high-humidity rooms**.



VALUE FOR MONEY



10 YEAR WARRANTY



EASY TO INSTALL

FIND US AT YOUR LOCAL **eurocell** BRANCH



sales@fakrogb.com

www.fakro.co.uk

FAKRO[®]

TRACER®



All purpose TRACER Deep Hole Construction Pencil with a fully extendable lead, complete with Site Holster.

IN STORE NOW

TRC-ALH1



TRACER Replacement lead set containing six leads for the TRACER Deep Hole Construction Pencil, complete with site holder.



TRC-AMK4



The TRACER Ultimate Kit is a great value kit which includes a TRACER Deep Hole Construction Pencil, Replacement Lead Set and two TRACER Clog Free Markers.



SMART®

IN STORE NOW

The ultimate eight-piece selection of Trade Series multi-tool blades, suitable for a wide range of applications including wood, hardwood, plastic, drywall, non-ferrous metal and nails.

TRC-H3MAK



TRC-H8MAK



A great value three-piece Trade Series multi-tool blade set including blade types suitable for wood, hardwood, plastic, drywall, non-ferrous metal and nails.

ACCESSORIES



Tracer

Code	Description	Qty
TRCH8MAK	TRACER Smart Blades	1
TRC-ADP2	TRACER Deep Pencil Marker & Site Holster	1
TRC-ALH1	TRACER 6 x Replacement leads in TRACER Holster	1
TRC-APST2	TRACER Scribe Tool Deep Hole Pencil	1
TRC-APS12	TRACER 12" Pro Square	1
TRC-AMP2	TRACER Double tipped Marker Pen & Site Holster	1
TRC-H63RW1	SMART Trade 63mm Rapid Wood & Plastics Blade	1
TRC-H32RW1	SMART Trade 32mm Rapid Wood & Plastics Blade	1
TRC-ACF-MK3	TRACER Clog Free Mark Kit Black, Blue, Red	1
TRC-AMM100	TRACER Mini Marker (100pc tub) Black	1
TRC-APMK1	TRACER Per Mark Black, Red, Blue, 4pc	1
TRC-APT2	TRACER Paint Mark White	1
TRC-ACF-BP1	TRACER Clog Free Marker Black without Site Holster	1
TRC-APM1	TRACER Per Con Mark Black	1
TRC-AMK4	TRACER Complete Marking Kit	1
TRC-H3MAK	SMART 3 Piece Multi-tool Blade Kit	1

GET A TRADE ACCOUNT TODAY ASK IN BRANCH FOR MORE DETAILS

-  **OVER 6000 PRODUCTS AVAILABLE IN BRANCH**
-  **210+ BRANCHES NATIONWIDE**
-  **TRADE CREDIT AVAILABLE***
-  **DEDICATED ACCOUNT MANAGER**
-  **EXCLUSIVE TRADE ACCOUNT PRICING**
-  **ONLINE TRADE ACCOUNT**

* Trade accounts are subject to T&Cs and acceptance.



Code	Pack qty	Size
TSOBB39	1	2440 x 1220 X 11mm
OSB2400X600X18	1	2400 x 600 x 18mm
OSB2400X1200X18	1	2400 x 1200 x 18mm
OSB2440x1220X18	1	2440 x 1220 x 18mm

Code	Description	Pack qty	Size
C24TIMBER47X75T4.8	Treated	1	4"x2"x4.8m 47 x 75mm x 4.8m
C24TIMBER47X75UT	Un-Treated	1	4"x2"x4.8m 47 x 75mm x 4.8m
CLS4X2	Treated	1	4"x2"x4.8m 47 x 75mm x 4.8m

Code	Pack qty	Size
BATTEN25X38X4.2	1	25 x 38 x 4.2m
BATTEN25X38X4.8	1	25 x 38 x 4.8m
25X50X4.2BATTEN	1	25 x 50 x 4.2m
BATTEN25X50X5.1	1	25 x 50 x 5.1m
25X50X4.8BATTEN	1	25 x 50 x 4.8m

Code	Pack qty	Size
PL2440X1220X12	1	2440 x 1220 x 12mm
EQPLY-LM	1	External Plywood 2440 x 1220 x 12mm

TRADE ESSENTIALS 20" PREDATOR PVC-U SAW



- Ideal for cutting PVC-U and other hard plastics
- Precision cut for a fine finish
- Comfort handle
- Rigid blade
- Duralife technology

PREDATOR™

Code	Size
B98UPVC	20"

20" PREDATOR UNIVERSAL SAW



Code B9822

20" PREDATOR LAMINATE SAW



Code B98LAMINATE

14" PREDATOR TOOLBOX SAW



Code BAH30014

DRAPER 500MM VENOM HANDSAW



Code DR82201

FOLDING KNIFE



Code SJ1750

UTILITY KNIFE



Code DR68505



Loft Roll

The Isover Space Saver Roll is a glass mineral wool that provides thermal insulation. It is used at the joist level for cold roof applications. The thermal conductivity of the roll is 0.044W/mK which helps to reduce heat loss.


Code	Size
LOFTROLL44100	100mm 12m x 1.16m
LOFTROLL44	150mm 8m x 1.16m
LOFTROLL44200	200mm 5.2m x 1.16m



Tapered Edge Plasterboard

Tapered Edge Plasterboard is a gypsum board for partitions, linings and ceilings where normal fire, structural and acoustic levels are specified. The board provides a hardwearing baseline protection for interior walls. The versatile material has many benefits both functionally and aesthetically, and it pairs perfectly with a range of floor finishes.

Code	Size
WALLBOARD125	1800 x 900 x 12.5mm
KNWB125	2400 x 1200 x 12.5mm
EX553AB3	2.4mx3mm
Expamet 553 T/Coat Angle Bead	



PIR Board

High performance PIR insulation board that is lightweight, easy to cut, handle and install. Whether it's a pitched roof, framed wall or floor, PIR is the ideal solution among contractors and installers.

Code	Size
INSUL25	2400 x 1200 x 25mm
INSUL50	2400 x 1200 x 50mm
INSUL60	2400 x 1200 x 60mm
INSUL75	2400 x 1200 x 75mm
INSUL80	2400 x 1200 x 80mm
INSUL100	2400 x 1200 x 100mm
INSUL120	2400 x 1200 x 120mm



PIR Insulated Plasterboard


The PL PIR Board combines in itself an insulation and plasterboard in one single, handy and durable board. Suitable for internal wall insulation and pitched roof applications, this insulation board is consistently sized with extremely tight tolerances, ensuring thermal bridging is minimised. Factory bonded, the plasterboard provides optimum board dimensions and optimum adhesion between layers.

Code	Size
INSULPL37	2400 x 1200 x 25mm + 12.6 PL/B
INSULPL52	2400 x 1200 x 40mm + 12.6 PL/B
PL4050	2400 x 1200 x 50mm + 12.6 PL/B
INSULPL72	2400 x 1200 x 60mm + 12.6 PL/B


ACTIS INSULATION

Actis Hybris

Hybris is an insulation material for timber frame or masonry walls, pitched roofs or ceiling applications. Hybris is a reflective insulation product based on a honeycomb structure.




Code	Description	Size	Code	Description	Size
HYBRIS50	Actis Hybris 50mm	1200 x 1145x 50mm (PK4)	HYBRIS105	Actis Hybris 105mm	1200 x 1145x 105mm (PK4)
HYBRIS75	Actis Hybris 75mm	1200 x 1145x 75mm (PK4)	HYBRIS125	Actis Hybris 125mm	1200 x 1145x 125mm (PK2)
HYBRIS90	Actis Hybris 90mm	1200 x 1145x 90mm (PK4)	HYBRIS155	Actis Hybris 155mm	1200 x 1145x 155mm (PK 2)



Actis Boost'r Hybrid

Boost'r Hybrid is a reflective breathable membrane with an excellent built-in thermal performance for use on the cold side of the building fabric in roofs and walls. Boost'r Hybrid provides dual properties within a single product: A breathable membrane and insulation, allowing a reduction in the number of installation steps whilst reducing the thickness of the main insulation to achieve the same required U-Value. It can be used in conjunction with any type of insulation.

Code	Size
ACTISB35	35mm



Actis HControl Hybrid

HControl Hybrid is a reflective vapour control layer with a built-in thermal performance for use on the warm side of any insulation material, behind the internal finish in roofs, walls and ceilings. HCONTROL HYBRID provides dual performance within a single product: a vapour control layer and insulation, allowing a reduction in the number of installation steps whilst reducing the thickness of the main insulation to achieve the same required U-Value. It can be used in conjunction with any type of insulation.

Code	Size
ACTISH45	45mm

Actis tape



Code	Description	Size
ACTISTAPEISO	Tape For Reflective Insulation with Copper or Metalizes Face	100mm x 25m
ACTISTAPEMULTI	HPV Membrane Insulation Tape	100mm x 20m

ROOFLIGHTS AND GLAZING

CONTENTS

FAKRO pivoting windows 90

FAKRO flat roof windows 93

Rooflights 94

ROOFLIGHTS ARE A SAFE & SECURE WAY TO INCREASE NATURAL LIGHT INTO BUILDINGS


- **FAKRO** pivoting roof window
Comes with inbuilt TopSafe Anti Burglary system, and Head ventilator as standard. P2 Glazing unit with toughened outer pane and laminated inner pane.
- The **FAKRO** type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG).
- **Rooflights** are an ideal way to increase natural light on flat roof properties.



FAKRO pivoting roof windows



Flat roof windows



Roof lights

ROOF WINDOWS

FAKRO PIVOTING ROOF WINDOW

Comes with inbuilt topSafe Anti Burglary system, and Head ventilator as standard. P2 Glazing unit with toughened outer pane and laminated inner pane.

Practical and stylish design

Suitable for 15-90 degree pitched roof

U Value of 1.3 W/m²K

Noise Reduction 32dB

Fire proof, Conforms with the European standards



FAKRO offer a complete range of premium quality innovative roof window solutions. From pivot roof windows in beautiful designs and clever opening methods, to flat roof windows in various designs and sizes. FAKRO also offer all the accessories needed to fit and furnish roof windows from exterior flashing to blinds.

A full range of compatible blinds and screens are available to order

ASK IN BRANCH FOR BLINDS AND ACCESSORY OPTIONS

FAKRO pivoting roof window

Code	Description
PTP-V01	Pivot Roof Window 55cm x 78cm
PTP-V02	Pivot Roof Window 55cm x 98cm
PTP-V05	Pivot Roof Window 78cm x 98cm
ELV01	Slate Flashing 55cm x 78cm
ELV02	Slate Flashing 55cm x 98cm
ELV05	Slate Flashing 78cm x 98cm
EZV01	Tile Flashing 55cm x 78cm
EZV02	Tile Flashing 55cm x 98cm
EZV05	Tile Flashing 78cm x 98cm



WHAT'S ON OFFER?

UPVC Pitched Roof Windows



UPVC Centre Pivot Roof Window (PTP-V)

- Pivots from the centre when opened.
- Pure White PVC finish as standard.
- topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



UPVC Top Hung & Centre Pivot Roof Window (PPP-V)

- Pivots from top or centre when opened (preSelect dual function)
- Pure White PVC finish.
- topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



UPVC Electrically Opening Roof Window (PTP-V Z-Wave)

- Pivots from the centre when opened.
- Electrically operated.
- Pure White PVC finish.
- topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



Conservation

- Conservation options available across our entire UPVC range.
- Conservation windows are designed for use in conservation areas which are worthy of preservation due to historical interest.
- The main difference is they're finished in Jet Black & have a glazing bar fitted.

Internal & External Accessories

We have a full range of internal and external accessories available. Please see some of our most popular choices.



ARZ Shutter



AJP Venetian Blind



ARF Blackout Blind



XDK - Insulation Set

Flashing Kits for Pitched Roof Windows



EPV Plain Tile Flashing Kit

Suitable for non-interlocking plain tiles up to 16mm in profile on roof pitches between 25-90 degrees.



ELV Slate Tile Flashing Kit

Suitable for non-interlocking slate tiles up to 8mm in profile on roof pitches between 15-90 degrees.



EZV-A Interlocking Tile Flashing Kit

Suitable for interlocking tiles up to 45mm in profile on roof pitches between 15-90 degrees.



EHN-A Interlocking Tile Flashing Kit

Suitable for interlocking tiles up to 120mm in profile on roof pitches between 15-90 degrees.

Flat Roof Windows

We also have a fantastic range of flat roof windows available.

- Available in fixed-shut, manually opening & electrically opening.
- Suitable for roof pitches between 2 – 15 degrees.
- Joining gutters available on request.
- Hinges located on the short side of the window.



DXG



DMG



DEG

FLAT ROOF WINDOWS

FLAT ROOF WINDOWS

The ideal solution for providing natural daylight

The benefits of natural illumination of buildings are unquestionable but in those with flat roofs it is not always possible to install sufficient standard vertical windows. A source of natural light should be available in any living space to make its occupants feel comfortable. The ideal solution for providing light is the installation of specially designed products for flat roofs.

**ASK IN
BRANCH FOR
QUICK TURN-
AROUND**



FAKRO flat roof windows

- The FAKRO type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG). FAKRO flat roof products bring the very highest standard of natural light to interiors. They also provide ventilation and offer exceptional functionality. In short, they can transform any room under a flat roof.
- The new range of technologically advanced G windows give smart aesthetics and provide an alternative solution for bringing natural daylight into rooms below a flat roof.
- Integral upstand for quick and easy installation.
- P2 safety glazing
- 10 year warranty




DEG

Electric z-wave control

- Electrically opened with wireless Z-Wave system,
- Included in the kit: AC adaptor, remote control, rain sensor
- Sash tilts 15cm

Code	Size
FRW80EX01	01K 60x60
FRW80EX02	02K 60x90
FRW80EX03	03K 70x70
FRW80EX04	04K 80x80
FRW80EX05	05K 90x90
FRW80EX06	06K 90x120
FRW80EX07	07K 100x100
FRW80EX08	08K 120x120
FRW80EX09	09K 140x140
FRW80EX10	10K 100x150
FRW80EX11	11K 120x200



DMG

Manual opening

- Opened manually by means of ZSD control rod 2.2m long included
- Sash tilts 30cm

Code	Size
FRW80EW01	01K 60x60
FRW80EW02	02K 60x90
FRW80EW03	03K 70x70
FRW80EW04	04K 80x80
FRW80EW05	05K 90x90
FRW80EW06	06K 90x120
FRW80EW07	07K 100x100
FRW80EW08	08K 120x120
FRW80EW09	09K 140x140
FRW80EW10	10K 100x150
FRW80EW11	11K 120x200



DXG

Non opening

- Non opening

Code	Size
FRW80EU01	01K 60x60
FRW80EU02	02K 60x90
FRW80EU03	03K 70x70
FRW80EU04	04K 80x80
FRW80EU05	05K 90x90
FRW80EU06	06K 90x120
FRW80EU07	07K 100x100
FRW80EU08	08K 120x120
FRW80EU09	09K 140x140
FRW80EU10	10K 100x150
FRW80EU11	11K 120x200

ROOFLIGHTS

- Rooflights are an ideal way to increase natural light on flat roof properties.
- This product range offers high security and exceptional energy efficiency - with u-values as low as 1.8!
- The domed design offers great aesthetics, meaning they are desirable additions for residential and commercial applications.



OTHER DESIGNS AVAILABLE

GLAZING OPTIONS

- CLEAR**
 - High light transmission
 - Allows unimpeded views
- OPAL**
 - High light transmission
 - Allows unimpeded views
- DIFFUSED**
 - Maximises privacy
 - Diffuses light to avoid sun glare
- BRONZE**
 - Reduces solar heat gain
 - Reduced light-transmission

Choice of ventilation options - ask a member of staff at your **local Eurocell branch today!**

GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS



OVER 6000 PRODUCTS AVAILABLE IN BRANCH



210+ BRANCHES NATIONWIDE



TRADE CREDIT AVAILABLE*



DEDICATED ACCOUNT MANAGER



EXCLUSIVE TRADE ACCOUNT PRICING



ONLINE TRADE ACCOUNT

* Trade accounts are subject to T&Cs and acceptance.

CLEANING PRODUCTS & FILLER

CLEANERS

CREAM CLEANER

- Restore and revive PVC-U surfaces
- Solvent-free



Code CCLEAN1

1 litre

GLASS CLEANER



Code GCLEAN1 1L

Code GCLEAN25 25L

SOLVENT CLEANER



Code SCLEAN1 1L

Code SCLEAN5 5L

Code SCLEAN1-10 HEAVY DUTY 1L

FILLER

REPAIR EXPRESS PLASTER 900ML

- An ultra lightweight filler for gaps and cracks
- Easy to tool and sand
- Sets hard with no shrinkage or sagging
- Overpaintable



Code SOUDAFIL900

white

WIPES



100 XXL wipes

Code ULTRAGRIME



80 XXL wipes

Code ULTRAWIPEPOWER

- Super strong and soft cloth like fabric
- Cleans up oil, grease, ink, paint, silicones, or uncured PU foam
- Stays wet and useable for over an hour

- Super strong fabric – rough on one side, soft on the other
- 3-in-1 action for efficient cleaning – Lifts, Cleans, Protects
- Stays wet and useable for over an hour

113551 SWIPEX SUPER CLEANING WIPES

- Heavy-duty non-woven wipes
- Multi-purpose use
- Removes oil, sealant adhesive stains, grease etc. from hands



100 pack

CONSERVATORIES

CONTENTS

Equinox tiled roof	98
Conservatory roofs	104
Luma flat rooflight	106
Skypod lantern roof	108
Roof Glazing	114
Canopies	126

A SUPERB SELECTION OF CONSERVATORY ROOFS TO SUIT EVERY HOME, PLUS CONSERVATORY ACCESSORIES AND CANOPIES

- **Equinox tiled roofs**
transform your customers' conservatories from an under-used room into a cosy, welcoming space that provides complete comfort all year round - find out more on page 98
- **Skypod lantern roofs**
with a **NEW** acute design option now available, Skypod lantern roofs have never looked better. Why not offer your customers sleek, contemporary design with Skypod today? - find out more on page 108
- **Polycarbonate roof glazing**
- offers a great cost saving solution to traditional glass options - find out more on page 114

SKYPOD LANTERN ROOF



TILE ROOF SYSTEMS

The Equinox tiled roof is the perfect solution. Combining high-quality precision engineering with attractive styling inside and out

- **Energy efficiency** with new high performance styrene helps boost overall roof energy efficiency and thermal insulation to keep the room below comfortable enough to use at any time of year
- **Structural strength** Upgraded boarding in the roof system sandwich increases overall strength to allow larger areas without risk of sagging
- **No job is too small** - Equinox isn't just a great system for conservatory roofs either. This versatile solution can also be used to transform flat roofs – whether you are building a new extension or you have an existing flat roof that's ready for a change.



Metrotile steel roof tiles

Steel tiles come as standard, and are lightweight and available in a choice of colours to suit many house styles.

METROTILE COLOUR OPTIONS




CHARCOAL ANTIQUE RED BURNT UMBER MOSS GREEN EBONY

Tapco Classic composite roof tiles


Composite tiles offer the authentic look of traditional slate tiles without the risk of shattering, fading, warping or cracking.

TAPCO COLOUR OPTIONS



BRICK RED PEWTER GREY STONE BLACK CHESTNUT PLUM RED ROCK


COMPOSITE SLATE TILES COLOUR OPTIONS



BRICK RED PEWTER GREY STONE BLACK CHESTNUT PLUM RED ROCK


Slateskin sheet tiles

Slateskin tiles are 50% faster to install than steel or composite tiles. That means less disruption for you during installation.




SLATE GREY

FASCIA COLOUR OPTIONS



WHITE CREAM GOLDEN OAK IRISH OAK CREAM WHITE
ROSEWOOD CHARTWELL GREEN ANTHRACITE GREY BLACK ASH MAHOGANY

Guttering colours




WHITE CLAY BROWN BROWN BLACK CREAM

STEEL TILE OPTIONS



CHARCOAL ANTIQUE RED BURNT UMBER MOSS GREEN EBONY

VEGA GLAZING COLOUR OPTIONS



CLEAR BLUE NATURAL BRONZE

Envirotile lightweight roof tiles

Recycled polymer lightweight roof tile with an interlocking system that makes tiling easier. Available as part of the Equinox tiled roof system.

ENVIROTILE COLOUR OPTIONS



SLATE GREY BROWN TERRACOTTA ANTHRACITE GREY ANTHRACITE BLACK

TILE ROOF SYSTEMS

The leading system - Eurocell designed, manufactured & distributed

equinox[®]
THE DIFFERENCE IS NIGHT & DAY

**DELIVERED
IN 5-7
WORKING
DAYS**

**0.15
U-VALUE**



Variable pitches means more conversions possible



Greater structural strength



Easy and quick installation in 2 days



Design-engineered for outstanding technical performance

**0.15
U-VALUE**

U-values as low as 0.15



Better value for money - helps increase your sales



FULLY VENTILATED SOLID ROOF SYSTEM WITH EXTRA RIGIDITY



WE GUARANTEE UNBEATABLE SERVICE



Quote requests for conservatory roofs returned in under an hour



Technical support with one point of contact every step of the way



Delivered at a time to suit you - in as little as 3 days



Phone and onsite support with surveys and installation

ROOF WINDOWS

A choice of high-quality, market-leading roof windows and full glazing panel solutions are available and can be fitted into the roof system.



For more details ask a member of staff at your local Eurocell branch!



equinox[®]
THE DIFFERENCE IS NIGHT & DAY

equinox vega

GLAZED SOLUTIONS

More light

Equinox Vega features large glazed areas letting in more natural light for brighter, sunlit conservatories that give an impression of even more space.

TILE ROOF SYSTEMS

equinox[®]
THE DIFFERENCE IS NIGHT & DAY



BETTER VALUE THAN EVER



SAVE TIME



SAVE HASSLE



ROOF STYLES


HINTS & TIPS

COMPATIBLE WITH ALL ROOF STYLES


- Victorian
- Edwardian
- Gable-ended
- P-shaped
- Lean-to

EQUINOX IS ALSO SUITABLE FOR:


- Flat roofs
- Extensions
- Porches



VICTORIAN



EDWARDIAN



GABLE-ENDED



LEAN-TO



P-SHAPED

DISCOVER MORE... INTERIOR PRODUCTS

SEE THE FULL RANGE IN THE INTERIOR PRODUCT SOLUTIONS CATALOGUE

PRODUCT RANGE



WINDOW BOARDS



FINISHING TRIMS



GET YOUR COPY FROM BRANCH OR VIEW A DIGITAL VERSION AT EUROCELL.CO.UK



INTERNAL CLADDING



FLOORING



INTERIOR PRODUCTS



LOFT HATCHES



ROOMLINE



OVER 6000 PRODUCTS IN BRANCH



210+ BRANCHES NATIONWIDE



PRODUCT EXPERTS IN EVERY BRANCH



FREE SURVEYS & QUOTATIONS



CLICK & COLLECT IN BRANCH



FREE ONSITE DELIVERY*

*Free onsite delivery on orders over the min. spend - Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland.

CONSERVATORY ROOFS

Traditional conservatory roofs

- Compatible with all Eurocell systems, including Eurologik and most other window systems
- Adjustable ridge and eaves beam providing a pitch range of 2.5° up to 45°
- One standard capping for 25mm, 32mm polycarbonate and 24mm glass
- Foam ridge sealing assembly
- The ridge cap with finial and cresting is fitted before the polycarbonate
- Lead flashing channel on the starter bar and flashing trim
- Easy to fit bolt on jack rafters
- Adhesive polycarbonate support trim
- Lusso orangery-style internal finish also available



FREE
QUOTATION - ASK
IN-BRANCH FOR
DETAILS



Conservatory roof system

Eurocell's conservatory roof system is designed to eliminate common problems experienced by installers at a price that doesn't penalise you for wanting to fit the best.



ROOF STYLES

HINTS & TIPS

COMPLETE THE JOB



RAINWATER SYSTEMS
Take a look at the range on page 128



BI-FOLD & PATIO DOORS
Find out more in our Door & Window catalogue




POLYCARBONATE SHEETS
Choose from our range of polycarb on page 114




COMPOSITE DECKING
See our full range in our Outdoor Living catalogue


Stunning styles to suit all homes



VICTORIAN



EDWARDIAN



GABLE-ENDED




LEAN-TO




P-SHAPED

Roof Glass Colour Options




CLEAR



BLUE



NATURAL



AQUA



BRONZE


LUMA FLAT ROOFLIGHT

Our new aluminium flat rooflight is designed for now and for future with low-carbon heating and world-leading levels of energy efficiency.


Luma is built to withstand everything the British weather can throw at it.

Suitable for multiple projects, such as existing or new flat roof extensions, garage conversions, new builds, garden rooms and more.

Made-to-measure.
Available in square and rectangular designs.



Max glass area 2.5sqm



Weather-resistant powder-coated frame

The aluminium frame is powder coated for durability and has a UV-resistant, weather-tight seal.



Tinted laminated glass options

Tinted glass still allows the light to flood in but reduces uncomfortable glare from sunlight.

Secured from the inside

Exclusive to Luma


The only flat rooflight which is fixed from the inside for added security. Excellence in quality with 6.8mm laminated internal glass and 6mm toughened external self clean glass for added safety.



Slimline modern profile with sleek seamless glazing

Exclusive to Luma

FRAME COLOURS




GLASS OPTIONS

Easy to install and delivered straight to site

Complete the job quickly, with no fuss and no mess.

2-5° installation pitch

Flexible installation options to minimise pooling of water.⁴



- Quotes in under 1 hour**
- Lead times to suit you**
- Order checking**
- Technical support line**

There's no waiting around. Just call, drop us an email or fill in the contact form on our website to request a quote, and we'll respond within an hour.⁵

Tell us when you need the products to be on site, and we'll ensure they're there at the right time.

Our orders are thoroughly checked prior to delivery, allowing you to get on with installing Luma right away.

Luma flat rooflights are easy to install, but if you need help, ask our experts at your local Eurocell branch or call us on 0333 005 6525.

⁴ Installation at 5° pitch is recommended
⁵ Applies within normal office working hours: Mon-Fri 8.30 - 17.00

illuminate your world

Luma aluminium flat rooflights

Made-to-measure.
Easy to install.



- Rigid slimline aluminium profile**
The visible framework is minimised, and daylight is maximised.
- Secured from the inside**
Fixed from the inside for added security.
- Double or Triple glazed options**
Laminated high performance self-cleaning glass.
- Excellent energy efficiency**
Thermally broken frame and U-values as low as 0.9.³
- 10-year guarantee**
For peace of mind.

Order in-branch or online

eurocell.co.uk/luma

¹ Subject to maximum glass area of 2.5m² (double-glazed) / 2m² (triple-glazed). May also be subject to Eurocell's handling restrictions.
² Extended lead times apply
³ U-values of 1.3 W/m²K for double and 0.92 W/m²K for triple-glazed.

eurocell

SKYPOD LANTERN ROOF

- **Skypod** is available in a wide range of sizes and styles, so you can create a lantern roof that complements the individuality of your home
- Skypod is suitable for a wide range of projects such as flat-roofed extensions, orangeries, new builds, kitchen-diners and garage conversions
- **Enjoy larger glass areas**
With its clean lines and sleek looks, a Skypod lantern roof will add real height and volume to your room. And thanks to a no side rafter option, you can enjoy unimpeded views
- **An energy efficient solution**
Skypod can achieve exceptional U-values as low as 1.0* – this helps minimise heat loss, meaning that you can save money on your heating bills



SKYPOD

Pitched lantern roofs

WHY CHOOSE SKYPOD?


Great looks, energy efficient, easy installation and a more cost-effective solution than conservatory roof systems or aluminium skylights - Skypod brings a stylish new living space that's flooded with natural light.



Fast, accurate installation



U-values as low as 1.0*



A choice of frame and glass colours



Designed for superior performance



Cheaper than aluminium alternatives



SKYPOD LANTERN ROOF




Aspirational living spaces


Create an impressive feature on smaller flat roofs and maximise natural light in your home.



SKYPOD FRAME COLOURS



GLASS COLOURS



Additional colours and specifications are made to order on extended lead times

SKYPOD PLUS FRAME COLOURS



skypod

skypod plus


Available in fixed 20° pitches



No 'side-bars' needed on sizes up to 1.5m x 2.75m




Up to 1.5m x 7.45m



Up to 2.75m x 8.7m



Up to 2.75m x 2.75m




Up to 1.5m x 1.5m

Note: Design will vary dependent on size. All Skylpod lantern roofs are made-to-order, and you will receive a design to sign-off before the item goes into production.

SKYPOD LANTERN ROOF

skypod plus

PREMIUM LANTERN ROOFS



**WITH ALUMINIUM RAFTER TOP CAPS.
AVAILABLE IN BLACK, WHITE & GREY.**

Skypod Plus is an addition to the successful Skypod range. Building on the existing purpose designed thermally broken aluminium ridge and ring beam, Skypod Plus now offers aluminium rafter top caps powder coated in smooth grey and white, to sit alongside the existing black. This means the whole of the external face offers stunning architectural aesthetics. All internal bars are capped in the conventional way with PVC-U and are available in white, grey or black finish.


Skypod Plus is available in 2 or 3 bar options and square shaped. The system has a fixed roof pitch of 20° and is supplied in a choice of five self-cleaning, temperature controlling glass options, with a centre pane U-value of 1.0W/m²K achievable.

The contemporary and balanced aesthetics on Skypod Plus have been achieved by avoiding the use of bulky end caps, crestings and finials, which are incorporated into lantern roofs when using standard conservatory components.



SKYPOD PLUS STYLE & SIZE OPTIONS


**Available
in 20°
fixed pitch**




No 'side-bars'
needed on sizes up
to 1.5m x 2.75m




Up to
1.5m x 7.45m



Up to
2.75m x 8.7m



Up to
2.75m x 8.7m



Up to
1.5m x 1.5m

Find out more at eurocell.co.uk/skypodplus

* Black and grey internal finishes on Skypod Plus are produced by a spraying process

ROOF GLAZING

Standard and bespoke polycarbonate, and roof panel ranges

POLYCARBONATE SHEETS ARE A GREAT ALTERNATIVE TO GLASS

- Ready to use
- Mould resistant
- Suitable for a wide variety of applications including conservatory roofs
- Lightweight and excellent impact resistance
- Weather and UV resistant
- Superb thermal insulation



POLYCARBONATE SHEETING

Multiwall Polycarbonate is an extensive range of sheeting in various thickness and sizes.

Multiwall Polycarbonate is co-extruded with a full UV protection layer offering high levels of impact resistance. The energy saving, lightweight sheeting is ideal for use in conservatories, canopies, curved roof lights and much more. Our standard range includes 10mm Twin Wall Polycarbonate and 16mm, 25mm and 32mm Multiwall Polycarbonate. A bespoke range of sizes can also be ordered in branch.

Multiwall Polycarbonate is the most widely used form of polycarbonate, often used for conservatories and lean-to roofs. The various layers it's made up from provides superb thermal insulation, also providing relatively good sound insulation. For Timber supported roofs we would recommend 10mm to 25mm polycarbonate, whereas 16mm to 35mm polycarbonate for self-supporting roofs.

Thickness	U-Value (W/m2k)	Light Transmission (%)	
		Clear	Opal
10mm Twinwall	3.2	82	40
16mm Multiwall	2.4	77	42
25mm Multiwall	1.4	62	28
32mm Multiwall	1.3	63	33

You can also use polycarbonate for other glazing requirements. Some examples include sport shelters, bike racks and security barriers. This demonstrates the versatility of polycarbonate sheets.

POLYCARBONATE POPULAR SIZES

Polycarbonate Sheet Clear 10mm



Code	Size	Colour
PC10-C1050X3000	1050 x 3000 mm	Clear
PC10-C700X3000	700 x 3000 mm	Clear
PC10-C1050X4000	1050 x 4000 mm	Clear
PC10-C700X4000	700 x 4000 mm	Clear

Polycarbonate Sheet Opal 10mm



Code	Size	Colour
PC10-O1050X3000	1050 x 3000 mm	Opal
PC10-O700X3000	700 x 3000 mm	Opal
PC10-O1050X4000	1050 x 4000 mm	Opal
PC10-O700X4000	700 x 4000 mm	Opal

Multi wall polycarbonate sheet 16mm



Code	Size	Colour
PC16-C700X3000	700 x 3000 mm	Clear
PC16-C700X4000	700 x 4000 mm	Clear
PC16-C1050X3000	1050 x 3000 mm	Clear
PC16-C1050X4000	1050 x 4000 mm	Clear

Multi wall polycarbonate sheet 16mm



Code	Size	Colour
PC16-O1050X3000	1050 x 3000 mm	Opal
PC16-O700X3000	700 x 3000 mm	Opal
PC16-O1050X4000	1050 x 4000 mm	Opal
PC16-O700X4000	700 x 4000 mm	Opal

CUT TO SIZE



Clear polycarbonate

Choose clear twin-wall polycarbonate when maximum light transmission is required. Cut to size per M².

Code	Size
10MMPOLYCL	10mm
16MMPOLYCL	16mm
25MMPOLYCL	25mm
32MMPOLYCL	32mm
35MMPOLYCL	35mm



Bronze Opal polycarbonate

Multi-wall offers extra heat and noise insulation, whilst the bronze tint reduces sun glare. Cut to size per M².

Code	Size
25MMPOLYCL	25mm
32MMPOLYBZOP	32mm
35MMPOLYBZOP	35mm



Bronze polycarbonate

Bronze polycarbonate has a tinted effect for protection from sun glare. Cut to size per M².


Code	Size
10MMPOLYBZ	10mm
16MMPOLYBZ	16mm
25MMPOLYBZ	25mm
32MMPOLYBZ	32mm



Heatguard Opal polycarbonate

Multi-wall offers extra heat and noise insulation, whilst the bronze tint reduces sun glare. Cut to size per M².

Code	Size
25MMPOLYHEATOP	25mm
32MMPOLYHEATOP	32mm
35MMPOLYHEATOP	35mm



Opal polycarbonate

Opal polycarbonate offers protection from sun glare, whilst providing extra privacy. Cut to size per M².

Code	Size
10MMPOLYOP	10mm
16MMPOLYOP	16mm
25MMPOLYOP	25mm
32MMPOLYOP	32mm
35MMPOLYOP	35mm

Breather Tape



Code	Size
AN03ADT38MM	33mm x33m (For 16mm Poly)
AN03ADT45MM	43mm x33m (For 25mm Poly)
AN03ADT55MM	55mm x33m (For 35mm Poly)

Fixing Buttons



Code	Size	Colour	Pack qty
PGFBB10	10mm	Brown	10
PGFBB16	16mm	Brown	10
PGFBB25	25mm	Brown	10
PGFBW10	10mm	White	10
PGFBW16	16mm	White	10
PGFBW25	25mm	White	10

Waterproofing Tapes



Code	Size
AN03ST38MM	30mm x33m (For 16mm Poly)
AN03ST45MM	43mm x33m (For 25mm Poly)
AN03ST55MM	55mm x33m (For 35mm Poly)


Sheet Closure







Code	Size	Colour
ND10SCB	10mm x 5m	Brown
ND10SCW	10mm x 5m	White
SC10-W	10mm x 2.1m	White
ND16SCB	16mm x 5m	Brown
ND16SCW	16mm x 5m	White
SC16-W	16mm x 2.1m	White
ND25SCB	25mm x 5m	Brown
ND25SCW	25mm x 5m	White
ND25SCW2.1	25mm x 2.1m	White
ND35SCW	32/35mm x 2.1m	White
ND35SCW2.5	32/35mm x 2.5m	White
ND35SCW5	32/35mm x 5m	White
ND35SCB	32/35mm x 2.1m	Brown
ND35SCB2.5	32/35mm x 2.5m	Brown
ND35SCB5	32/35mm x 5m	Brown

POLYCARBONATE ROOFING ACCESSORIES

SELF-SUPPORT GLAZING SYSTEM



RAFTER SUPPORT GLAZING SYSTEM



RAFTER SUPPORTED ROOFS



Rafter System End Cap



Code	Size	Colour
ND25STECB	Snapdown End Cap Only (10-25mm)	Brown
ND25STECW	Snapdown End Cap Only (10-25mm)	White
ND35STECB	Snapdown End Cap Only (25-35mm)	Brown
ND35STECW	Snapdown End Cap Only (25-35mm)	White

Rafter System Bar - Aluminium F Section



Code	Size	Colour
ND10F1030B	10mm x 3m	Brown
ND10FB1040	10mm x 4m	Brown
ND10FB1050	10mm x 5m	Brown
ND10FB1060	10mm x 6m	Brown
ND10F1630B	16mm x 3m	Brown
ND10F1640B	16mm x 4m	Brown
ND10F1650B	16mm x 5m	Brown
ND10F1030W	10mm x 3m	White
ND10FW1040	10mm x 4m	White
ND10FW1050	10mm x 5m	White
ND10FW1060	10mm x 6m	White
ND10F1630W	16mm x 3m	White
ND10F1640W	16mm x 4m	White
ND10FW1650	16mm x 5m	White
ND10F1660W	16mm x 6m	White
ND10F2530B	25mm x 3m	Brown
ND10F2540B	25mm x 4m	Brown
ND10F2560B	25mm x 6m	Brown
ND10F2530W	25mm x 3m	White
ND10F2540W	25mm x 4m	White
ND10F2560W	25mm x 6m	White

Rafter System Bar - PVC F Section



Code	Size	Colour
ND25SF1030W	10mm x 3m	White
ND25SF1040W	10mm x 4m	White
ND25SF1630W	16mm x 3m	White
ND25SF1640W	16mm x 4m	White

Rafter System Bar - Snapdown Bar

INCLUDES CAP, BAR AND END CAP



Code	Size	Colour
ND25STB25	2.5m (10-25mm Poly)	Brown
ND25STB30	3m (10-25mm Poly)	Brown
ND25STB40	4m (10-25mm Poly)	Brown
ND25STB50	5m (10-25mm Poly)	Brown
ND25STB60	6m (10-25mm Poly)	Brown
ND25STW25	2.5m (10-25mm Poly)	White
ND25STW30	3m (10-25mm Poly)	White
ND25STW40	4m (10-25mm Poly)	White
ND25STW60	5m (10-25mm Poly)	White
ND25STW51	6m (10-25mm Poly)	White
ND35STB25	2.5m (25-35mm Poly)	Brown
ND35STB3	3m (25-35mm Poly)	Brown
ND35STB4	4m (25-35mm Poly)	Brown
ND35STB6	6m (25-35mm Poly)	Brown
ND35STW25	2.5m (25-35mm Poly)	White
ND35STW3	3m (25-35mm Poly)	White
ND35STW4	4m (25-35mm Poly)	White
ND35STW6	6m (25-35mm Poly)	White

Silirub PC

Silirub PC is a neutral low modulus silicone sealant specially developed for sealing and waterproofing on polycarbonate.

Clear



Code SILIRUBPCL

- Does not cause stress cracking in nonprestressed acrylic glass (Plexiglas) and polycarbonate (Makrolon, Lexan).
- Colourfast and UV resistant
- Very low emission, EC1+ certified
- Permanently elastic after curing
- Slow skinning time
- Not paintable
- Not suitable for natural stone

SELF SUPPORTING ALUMINIUM ROOFS



Self Supporting Eaves Beam



Code	Size	Colour
SEB40B	4m	Brown
SEB40W	4m	White
SEB60B	6m	Brown
SEB60W	6m	White

Self Supporting WallPlate



Code	Size	Colour
LSLSWP30W	3m	White
LSLSWP51W	4m	White
LSLSWP61EW	6m	White
LSBLSWP30	3m	Brown
LSBLSWP40	4m	Brown
LSBLSWP51	6m	Brown

Self Supporting Intermediate Bar




Code	Size	Colour
LSIB25B	2.5m	Brown
LSIB30B	3m	Brown
LSIB35B	3.5m	Brown
LSIB40B	4m	Brown
LSIB60B	6m	Brown
LSIB25W	2.5m	White
LSIB30W	3m	White
LSIB35W	3.5m	White
LSIB40W	4m	White
LSIB60W	6m	White

Self Supporting Edge Bar



Code	Size	Colour
LSBEB25	2.5m	Brown
LSBEB30	3m	Brown
LSEB35B	3.5m	Brown
LSBEB40	4m	Brown
LSBEB60	6m	Brown
LSEB25W	2.5m	White
LSEB30W	3m	White
LSEB35W	3.5m	White
LS32EB40W	4m	White
LSEB60W	6m	White

Self Supporting Leg kit



Code	Size	Colour
LEGEXTRA2.5	2.5m Leg - inc Fixings	White
LEGEXTRA2.5B	2.5m Leg - inc Fixings	Brown

Self Supporting Bar End Cap



Code	Colour
LSBIECAPB	Brown
LSBIECAPW	White

Silirub PC

Silirub PC is a neutral low modulus silicone sealant specially developed for sealing and waterproofing on polycarbonate.

Clear



Code SILIRUBPCCL

- Does not cause stress cracking in nonprestressed acrylic glass (Plexiglas) and polycarbonate (Makrolon, Lexan).
- Colourfast and UV resistant
- Very low emission, EC1+ certified
- Permanently elastic after curing
- Slow skinning time
- Not paintable
- Not suitable for natural stone

EZ GLAZE

New

EASY, FAST
AND SAFE
INSTALLATION



Joint



THE NEW EZ GLAZE

EZ Glaze is an attractive and user-friendly solution for flat roof design, clear patio roofs and DIY polycarbonate roof panels. Offering a smart design, elegant glass-like appearance, low maintenance and sustainable performance, all in a fast easy to install system.

The 3mm thick polycarbonate sheets fit directly over rafters with a high loading capacity. Simply fasten the panels to the supportive structure and join by overlapping with no need for glazing bars or joints.

FEATURES AND BENEFITS

Clear and elegant appearance

Minimal maintenance

UV Protection - blocks 99.9% of UV radiation

Greater hail resistance

High wind and snow load resistance

No need to climb on the roof to install

EZ-Glaze 60 3mm clear



Code	Size
EZGLAZECLR25	688 x 2.5m
EZGLAZECLR3	688 x 3m
EZGLAZECLR35	688 x 3.5m
EZGLAZECLR4	688 x 4m
EZGLAZECLR6	688 x 6m

EZ-Glaze 60 3mm breeze/blue



Code	Description
EZGLAZEBREEZE3	688 x 3m
EZGLAZEBREEZE35	688 x 3.5m
EZGLAZEBREEZE4	688 x 4m
EZGLAZEBREEZE6	688 x 6m

EZ-Glaze 60 3mm grey




Code	Size
EZGLAZEGRY3	673 x 3m
EZGLAZEGRY4	673 x 4m

EZ-Glaze screw 50mm + washer 25mm



Code	Pack qty
EZGLAZESCREW25	25
EZGLAZESCREW50	50

EZ Glaze wall connector



Code	Description
EZGLAZEWCNN2M	3/600 2M

EZ Glaze foam



Code	Description
EZGLAZEFOAM	2/20 25M

CANOPIES AND PANELS

EVOLUTION CANOPIES

A VERSATILE RANGE OF STYLISH CANOPIES PROVIDE ADDITIONAL SHELTER

IDEAL FOR:

- Residential use
- Car ports
- Covered walkways
- Patio/garden areas
- Commercial use
- Patio/garden areas



CONSERVATORY PVC-U PANELS

DON'T WANT TO BUILD A DWARF WALL, OR GO FOR A FULLY GLAZED CONSERVATORY?

THEN CHOOSE PVC-U CONSERVATORY PANELS INSTEAD


- Low-maintenance
- Perfectly colour-matched to windows and roof



DISCOVER MORE... OUTDOOR LIVING & GARDEN ROOMS

SEE THE FULL RANGE IN THE OUTDOOR LIVING & GARDEN ROOMS CATALOGUE

PRODUCT RANGE



COMPOSITE FENCING



CLADDING



GET YOUR COPY FROM BRANCH OR VIEW A DIGITAL VERSION AT EUROCELL.CO.UK



GARDEN ROOMS



COMPOSITE DECKING

ALSO...

- DECKING RANGE
- BALUSTRADE SYSTEMS
- ARTIFICIAL DECORATIVE WALL
- GROUND SUPPORT GRID
- RESIN BOUND AGGREGATES
- FIXINGS



TOOLS & SEALANTS



PERGOLAS & VERANDAS



OVER 6000 PRODUCTS IN BRANCH



210+ BRANCHES NATIONWIDE



PRODUCT EXPERTS IN EVERY BRANCH



FREE SURVEYS & QUOTATIONS



CLICK & COLLECT IN BRANCH



FREE ONSITE DELIVERY*

*Free onsite delivery on orders over the min. spend - Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland.

RAINWATER

CONTENTS

Rainwater	129
Soil systems	144
Underground	146
Channel Drainage	149

RAINWATER

High-quality rainwater systems, ideal for small and large scale projects

- Suitable for both domestic and commercial applications, we offer a range of guttering options
- High-capacity gutters and downpipes available, suited for larger commercial buildings
- Available in 6 guttering styles, including decorative cast iron effect

EUROCELL OFFERS A FULL RANGE OF DRAINAGE SOLUTIONS

A RAINWATER SYSTEMS

Suitable for both domestic and commercial applications, we offer a range of guttering options on page 130

B SOIL DRAINAGE


See the range of components on page 144

C CHANNEL DRAINAGE

Perfect for driveways, patios and plenty more applications. See page 149

D UNDERGROUND DRAINAGE












We offer a 110mm system which can be found on page 146







RAINWATER

SQUARE-LINE RAINWATER SYSTEM – 114MM

The square-line rainwater system has an easy clip design with rounded ends to ensure simple installation. The system is suited to residential applications, and is compatible with many other existing systems.

AGS2 2m gutter  2m lengths	AGS4 4m gutter  4m lengths	AUS1 Union bracket 	AAS1 90° angle 
AAS2 135° angle 	AKS1 Fascia bracket 	AES1 External stop end 	AES2 Internal stop end 
AOS1 Running outlet 	AOS2 Stop end outlet 	ARSS1 Squareline Rubber Seal Spare 	












COLOUR OPTIONS

 W WHITE	 BR BROWN	 BL BLACK	 AG ANTHRACITE
---	---	---	---

10 GUARANTEED YEARS **5 GUARANTEED YEARS**





HALF-ROUND RAINWATER SYSTEM – 112MM

The half-round rainwater system has an easy-clip design with rounded ends ensuring simple installation. The system is suited to residential applications, and is compatible with many other existing systems.

AG2 2m gutter  2m lengths	AG4 4m gutter  4m lengths	AU1 Union bracket 	AA1 90° angle 
AA2 135° angle 	AK1 Fascia bracket 	AE1 External stop end 	AE2 Internal stop end 
AO1 Running outlet 	AO2 Stop end outlet 	ARS1 Half Round Rubber Seal Spare 	

TRADE DISCOUNTS ARE AVAILABLE
- why not open an account in branch today?

COLOUR OPTIONS

 W WHITE	 BR BROWN	 BL BLACK	 AG ANTHRACITE
--	---	---	--







10 GUARANTEED YEARS **5 GUARANTEED YEARS**











OGEE RAINWATER SYSTEM 135MM

This system is ideal for use on larger residential buildings, smaller commercial premises and conservatory roof applications, as the system is sturdier due to the thick gutter extrusion.







DESIGNED TO AESTHETICALLY
COMPLEMENT ANY PROPERTY



<p>AGKO4 4m gutter</p> <p>4m lengths</p> 	<p>AAKO2 External angle 90°</p> 	<p>AAKO4 External angle 135°</p> 	<p>AAKO1 Internal angle 90°</p> 
<p>AAKO3 Internal angle 135°</p> 	<p>AOKO1 Running outlet</p> 		









<p>AUKO1 Union bracket</p> 	<p>ADKS1 UP TO SQ adaptor LH</p> <p>connects to square</p> 	<p>ADKS2 UP TO SQ adaptor RH</p> <p>connects to square</p> 	<p>ADKR1 UP TO HR adaptor LH</p> <p>connects to half round</p> 
<p>ADKR2 UP TO HR adaptor RH</p> <p>connects to half round</p> 	<p>AKKO1 Fascia bracket</p> 	<p>AKKO2 Top hung fascia bracket</p> 	<p>PERFECT PARTNER</p> <p>Klassic Ogee rainwater system perfectly complements our range of decorative OGEE FASCIA BOARDS</p> 
<p>AEKO1 External stop end LH</p> 	<p>AEKO2 External stop end RH</p> 		

COLOUR OPTIONS





 <p>W WHITE</p>		 <p>BR BROWN</p>	 <p>BL BLACK</p>	 <p>AG ANTHRACITE</p>	
--	---	---	---	--	---

DEEP HIGH CAPACITY RAINWATER SYSTEM 114MM

This system is ideal for properties with large roof areas such as terraced / community housing and light commercial buildings.

AGD4 4m gutter  4m lengths	AUD1 Union bracket 	AKD1 Fascia bracket 	AOD1 Running outlet 
AAD1 90° angle 	AAD2 135° angle 	AED1 External stop end 	AED2 Internal stop end 












COLOUR OPTIONS

 W WHITE	 BR BROWN	 BL BLACK	 AG ANTHRACITE
--	--	--	--





10 GUARANTEED YEARS **5 GUARANTEED YEARS**

SQUARE DOWNPIPE RAINWATER SYSTEM

The square line downpipe has an easy to clip design with rounded ends to ensure simple installation. Suitable for Squareline and Ogee.

APS25 2.5m pipe  2.5m lengths	APS4 4m pipe  4m lengths	APS55 5.5m pipe  5.5m lengths	ABS1 90° bend 										
ABS2 112° offset bend 	ABS3 Shoe 	ASS1 Pipe socket 	AYS1 112° branch 										
ACS1 Pipe clip 	ACS2 Pipe clip (flush) 	Square Access Points <table border="1"> <thead> <tr> <th>Code</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>RXS1B</td> <td>Access Pipe Square 65mm Black</td> </tr> <tr> <td>RXS1BR</td> <td>Access Pipe Square 65mm Brown</td> </tr> <tr> <td>RXS1W</td> <td>Access Pipe Square 65mm White</td> </tr> <tr> <td>RXS1AG</td> <td>Access Pipe Square 65mm A.Grey</td> </tr> </tbody> </table> 		Code	Size	RXS1B	Access Pipe Square 65mm Black	RXS1BR	Access Pipe Square 65mm Brown	RXS1W	Access Pipe Square 65mm White	RXS1AG	Access Pipe Square 65mm A.Grey
Code	Size												
RXS1B	Access Pipe Square 65mm Black												
RXS1BR	Access Pipe Square 65mm Brown												
RXS1W	Access Pipe Square 65mm White												
RXS1AG	Access Pipe Square 65mm A.Grey												












COLOUR OPTIONS

 W WHITE	 BR BROWN	 BL BLACK	 AG ANTHRACITE
---	--	--	---







10 GUARANTEED YEARS **5 GUARANTEED YEARS**

ROUND DOWNPIPE RAINWATER SYSTEM

The round downpipe has an easy to clip design with rounded ends ensuring simple installation. Suitable for Half-Round, Ogee and Deep High Capacity guttering.

AP25 2.5m pipe 	AP4 4m pipe 	AP55 5.5m pipe 	AB1 90° bend 										
AB2 112° offset bend 	AB3 Shoe 	AS1 Pipe socket 	AY1 112° branch 										
AC1 Pipe clip 	Round Access Points <table border="1"> <thead> <tr> <th>Code</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>RX1B</td> <td>Access Pipe Round 68mm Black</td> </tr> <tr> <td>RX1BR</td> <td>Access Pipe Round 68mm Brown</td> </tr> <tr> <td>RX1W</td> <td>Access Pipe Round 68mm White</td> </tr> <tr> <td>RX1AG</td> <td>Access Pipe Round 68mm A.Grey</td> </tr> </tbody> </table> 		Code	Size	RX1B	Access Pipe Round 68mm Black	RX1BR	Access Pipe Round 68mm Brown	RX1W	Access Pipe Round 68mm White	RX1AG	Access Pipe Round 68mm A.Grey	 <p>TRADE DISCOUNTS ARE AVAILABLE - why not open an account in branch today?</p>
Code	Size												
RX1B	Access Pipe Round 68mm Black												
RX1BR	Access Pipe Round 68mm Brown												
RX1W	Access Pipe Round 68mm White												
RX1AG	Access Pipe Round 68mm A.Grey												

ADAPTORS





ADKR1 Round to Ogee adaptor LH 	ADKR2 Round to Ogee adaptor RH 	ADS2 Square to round adaptor 	ADS1 Square to round adaptor 
ADKS1 Square to Ogee adaptor LH - not suitable for High Capacity 	ADKS2 Square to Ogee adaptor RH - not suitable for High Capacity 		

Available in black, brown and white

GUTTERSEALBK Soudal Roofing and Gutter Sealant







COLOUR OPTIONS

			
W WHITE	BR BROWN	BL BLACK	AG ANTHRACITE

10 GUARANTEED YEARS **5 GUARANTEED YEARS**

COLOUR OPTIONS


			
W WHITE	BR BROWN	BL BLACK	AG ANTHRACITE

10 GUARANTEED YEARS **5 GUARANTEED YEARS**

RAINWATER

Brackets & Accessories

The system is suited to residential applications and is compatible with many other existing systems.



Gutter brush

FloPlast GutterBrush offers a low maintenance solution for keeping gutters free from debris. Available in black and white.

- Simple to install
- Will flex to fit virtually any shaped gutter system
- Prevents debris such as moss/leaves/twigs/ seeds from blocking the gutter
- Made from high quality Polypropylene filaments securely fixed into a flexible central rust-free stainless steel core
- Low maintenance

Glazing bars

Code	Description	Unit
GUTTERBRUSHBK	Gutter Brush Black 4m	Each
GUTTERBRUSHW	Gutter Brush White 4m	Each



rainwater

PVC-U GUTTERING & DRAINAGE



UP TO 350 PRODUCTS

AVAILABLE IN STOCK NOW



PVC-U guttering and downpipes with attractive benefits for customers and installers, too.

When you need effective, hardworking plastic guttering and downpipes that you can fit fast and forget, look no further than the complete range of PVC-U rainwater systems and accessories from Eurocell. Our systems are designed to be suitable for all types of domestic and commercial property, from white to black PVC-U guttering and a wide

range of colours in between, all are available in styles from classic half-round and square-line to decorative ogee. We also stock a range of high-capacity gutters and downpipes suitable for larger commercial buildings. Plus, they're quick and easy to fit so you can be sure that your valuable time won't disappear down the drain.



THE COMPLETE SOLUTION



COLOUR MATCH GUARANTEE



SEALANTS & FIXINGS IN-STOCK



IN 210+ BRANCHES NATIONWIDE



TRADE CREDIT AVAILABLE*

* Trade accounts are subject to T&Cs and acceptance.

COMMERCIAL RAINWATER SYSTEM














150mm

- Designed to handle large volumes of water with ease, as the outlet design encourages a vortex effect for greater water flow down the pipe



COMMERCIAL RAINWATER SYSTEM (170MM)

Designed to handle large volumes of water with ease, as the outlet design encourages a vortex effect for greater water flow down the pipe. The Commercial system is suited to commercial or large domestic housing projects.

AG46BL 4m gutter  <p>4m lengths</p>	AA16BL 90° angle 	AE16BL External stop end 	COLOUR OPTIONS  BK BLACK
AE26BL Internal stop end 	AK16BL Fascia bracket 	AO16BL Running outlet 	AU16BL Union bracket 
EDSBD135B 135° offset bend top 	EDSBSS135B 135° offset bend bottom 	SPCDB Pipe clip 	AHS16BL Hopper 
SPS3M 3m soil pipe (single socket)  <p>3m length</p>			



CAST IRON EFFECT GUTTERING

A stylish range of guttering and downpipe products

A DECORATIVE EFFECT THAT COMBINES THE LOOK OF A TRADITIONAL CAST IRON SYSTEM

- Quick to install and ready to fit without the need for painting or protective coatings
- Reduced total installation cost. (No metal primer, spanners, paint, or disc cutters required)
- Durable and long-lasting finish without the need to apply corrosion control traditionally used with cast iron systems
- UV stabilised to protect against colour fade
- Lightweight construction for easy handling, assembly and installation
- Stylish and functional, making the range suitable for new build and residential projects



CAST IRON EFFECT 112MM PVC-U

The Cast Iron Effect System offers a high capacity rainwater solution while still benefiting from the timeless appearance of a Cast Iron Effect rainwater system. Its deep semi-elliptical profile means it can be used on most domestic applications.


AG4KI Polyflow 4m gutter 	AU1KI Union bracket 	AA1KI 90° angle 	AA2KI 135° angle 
AO1KI Running outlet 	AE1KI External stop end 	AK1KI Fascia bracket 	

CAST IRON EFFECT DOWNPIPE SYSTEMS PVC-U

The Elegance range is designed in such way that each profile system in the range utilises a common downpipe.

AP25KI Downpipe 2.5m 	AHS1KI Decorative hopper 	AS1KI Pipe socket 	AB3KI Shoe 
AB1KI 90° bend 	AB2KI 112° offset bend 	AY1KI 112° branch 	AC1KI Pipe clip 

SOIL SYSTEMS



RELIABLE SOIL SOLUTIONS

Maximum durability




Cost-effective

Push-fit style is quick and easy to install

Reliable watertight joints

Interchangeable with leading manufacturer's products made to EN1329

110MM SYSTEM IDEAL FOR DOMESTIC AND COMMERCIAL APPLICATIONS



UNDERGROUND DRAINAGE



GREAT VALUE, MAINTENANCE-FREE UNDERGROUND DRAINAGE

Easy to lay

Flexible – to accommodate normal ground movement

Adaptable – connects to existing drainage systems

Suitable for commercial and residential installations

Available in 82mm, 110mm, 160mm diameters

110MM SYSTEM (160MM SYSTEM AVAILABLE TO ORDER - ASK FOR DETAILS)

Plain ended pipe

Code	Size
UGP3M	110mm x 3m
UGP6M	110mm x 6m

EDUC 110mm coupler double socket

KPSL1000 Soluble Lubricant

EDUBSS87.5 110mm 87.5° bend single socket

EDUBSS45 110mm 45° bend single socket

EDUBSS30 110mm 30° bend single socket

EDUBSS15 110mm 15° bend single socket

EDUBDS87.5 110mm 87.5° bend double socket

EDUBDS45 110mm 45° bend double socket

EDUBDS30 110mm 30° bend double socket

EDUBDS15 110mm 15° bend double socket

UGB87.5RB 110mm 87.5° rest bend double socket

UGLRB87.5 110mm 87.5° long radius bend plain ended

AB01 - 0-45° 110mm 0 - 30° adjust bend double socket

AB02 - 0-45° 110mm 0-45° adjust bend double socket

EDUJDS87.5 110mm 87.5° equal junction double socket

EDUJDS45 110mm 45° equal junction double socket

EDUJTS87.5 110mm 87.5° equal junction triple socket

EDUJTS45 110mm 45° equal junction triple socket

UGAP5 110mm socket plug

UGG4 110mm back inlet bottle gully

UGG6 110mm bottle gully

UGG46EXT 110mm raising piece for bottle gully


UNDERGROUND DRAINAGE

UGG3	110mm lowback "P" trap	UGG1	110mm universal gully trap	UGH1	110mm hopper inc square plastic grid	UGH3	110mm rectangular hopper
UGAF6	110mm 45° rodding eye terminal socket	ADS6BL	110mm universal drain adaptor	JCA02	Flexicon universal drain coupler 100-115mm	UGMBS	320mm chamber base
UGRS	320mm riser for chamber base c/w seal	UGMC1PL	320mm square PP cover & frame	UGMBL	460mm chamber base 110mm outlets	UGRL	460mm riser 215mm
ED470SEAL	460mm seal for riser	MCCRPLSQ	460mm PP cover & 65mm deep frame	MCCRPL	460mm cover & frame A rated		

CHANNEL DRAINAGE

A UNIQUE & EASY TO INSTALL SURFACE WATER DRAINAGE SYSTEM

- Easy to assemble, handle and install surface drainage system
- Effectively removes water from pedestrian areas
- Can withstand 5 tonne vehicle weight
- Innovative, lightweight and durable design



KCD5T 1m channel drainage




ACCESSORIES

KCD90	Channel drain quad connector 118 x 118mm
KCDSE5T	Channel Stop End

Applications

- Driveways
- Patios
- Garage entrances
- Thresholds



YOUR ONE-STOP SHOP

GET A TRADE ACCOUNT TODAY AND GET A WHOLE LOT MORE.



OVER 6000 PRODUCTS AVAILABLE IN BRANCH



210+ BRANCHES NATIONWIDE



TRADE CREDIT AVAILABLE*



EXCLUSIVE TRADE ACCOUNT PRICING



ONLINE TRADE ACCOUNT



DEDICATED ACCOUNT MANAGER

* Trade accounts are subject to T&Cs and acceptance.



SIGN UP TODAY. ASK IN BRANCH TODAY FOR MORE DETAILS.



SHOP 24/7 EUROCELL.CO.UK



CLICK & COLLECT IN BRANCH



FREE ONSITE DELIVERY**



**Free onsite delivery on orders over the min. spend - Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland.

FLAT ROOF - WATERPROOFING LIQUID

ULTRA-FLEX HIGH PERFORMANCE LIQUID WATERPROOFING

ULTRA FLEX

BEST SELLER

QUICKCURE

ULTRA FLEX 15kg

New QUICK-CURE
Can be used to speed up the curing process and **COMPLETE THE JOB IN 1 DAY!**

FEATURES & BENEFITS

Ultra Flex is a single component liquid that cures through moisture contact and therefore is used directly from the container with no requirement for additional additives.

It is ideal for	Benefits include
New roofs	Pre-mixed
Repair or refurbishment of existing roofs	Excellent adhesion to most surfaces
Flat & low pitched roofs	Early rain resistance
Complex detailing	Cold weather application
Box Gutters and Valleys	Easy wet-on-wet application
	Easy to use with detail and awkward areas
	Flame/heat free application
	Highly elastomeric
	Reinforced & seamless
	From small domestic to large commercial roofs
	Balcony systems available

Guarantees available from 15 to 25 years





**12°
CAN NOW BE FITTED
AT 12° ROOF PITCH!**

Made for each other

also ideal for:



modular homes



outdoor living



self-build



listed & conservation



...and don't forget to enquire about our TapcoSlate Classic, purpose-built roofing accessories – they make completing the job so much easier!



There's no better choice for your conservatory roof than market-leading TapcoSlate Classic!

- Lightweight – as low as 12kg per m²
- BRE testing for wind-driven rain found TapoSlate Classic to perform much stronger than all equivalent materials tested
- No breakages – will not crack, split or break if dropped or walked upon
- Authentic slate appearance – combines the beauty of slate with modern technology
- Fully tested to BBA Standards, including fire, wind, driven snow & rain, and water absorption
- 40-year warranty!
- Easy to install with pre-marked nailing and exposure guides, plus horizontal spacers
- Easily cut with a fine-toothed saw or sharp utility blade
- Random Edges and patterns with constant colour throughout each slate
- Wide choice of colours to match existing structures or to add a little more pizzazz to your conservatory



SHOP ONLINE
eurocell.co.uk/shop



CALL US
08000 77 88 88



IN BRANCH
eurocell.co.uk/
branch-finder

FOLLOW US ONLINE:



BUILDING PLASTICS AND A WHOLE LOT MORE!

Product specifications are subject to change without notification. Please also note that colours shown are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.

